

Math symbols defined by LaTeX package «»

No.	Text	Math	Macro	Category	Requirements	Comments
00021	!	!	!	mathpunct		EXCLAMATION MARK
00023	#	#	\#	mathord		NUMBER SIGN
00024	\$	\$	\\$	mathord		= \mathdollar, DOLLAR SIGN
00025	%	%	\%	mathord		PERCENT SIGN
00026	&	&	\&	mathord		# \binampersand (stmaryrd)
00028	(((mathopen		LEFT PARENTHESIS
00029)))	mathclose		RIGHT PARENTHESIS
0002A	*	*	*	mathord		# \ast, (high) ASTERISK, star
0002B	+	+	+	mathbin		PLUS SIGN
0002C	,	,	,	mathpunct		COMMA
0002E	.	.	.	mathalpha		FULL STOP, period
0002F	/	/	/	mathord		# \slash, SOLIDUS
00030	0	0	0	mathord		DIGIT ZERO
00031	1	1	1	mathord		DIGIT ONE
00032	2	2	2	mathord		DIGIT TWO
00033	3	3	3	mathord		DIGIT THREE
00034	4	4	4	mathord		DIGIT FOUR
00035	5	5	5	mathord		DIGIT FIVE
00036	6	6	6	mathord		DIGIT SIX
00037	7	7	7	mathord		DIGIT SEVEN
00038	8	8	8	mathord		DIGIT EIGHT
00039	9	9	9	mathord		DIGIT NINE
0003A	:	:	\colon	mathpunct		x :, COLON (not ratio)
0003B	;	;	;	mathpunct		SEMICOLON p:
0003C	<	<	<	mathrel		LESS-THAN SIGN r:
0003D	=	=	=	mathrel		EQUALS SIGN r:
0003E	>	>	>	mathrel		GREATER-THAN SIGN r:
0003F	?	?	?	mathord		QUESTION MARK
00040	@	@	@	mathord		at
00041	A	<i>A</i>	A	mathalpha	-literal	= \mathrm{A}, LATIN CAPITAL LETTER A
00042	B	<i>B</i>	B	mathalpha	-literal	= \mathrm{B}, LATIN CAPITAL LETTER B
00043	C	<i>C</i>	C	mathalpha	-literal	= \mathrm{C}, LATIN CAPITAL LETTER C
00044	D	<i>D</i>	D	mathalpha	-literal	= \mathrm{D}, LATIN CAPITAL LETTER D
00045	E	<i>E</i>	E	mathalpha	-literal	= \mathrm{E}, LATIN CAPITAL LETTER E
00046	F	<i>F</i>	F	mathalpha	-literal	= \mathrm{F}, LATIN CAPITAL LETTER F
00047	G	<i>G</i>	G	mathalpha	-literal	= \mathrm{G}, LATIN CAPITAL LETTER G

No.	Text	Math	Macro	Category	Requirements	Comments
00048	H	<i>H</i>	H	mathalpha	-literal	= H , LATIN CAPITAL LETTER H
00049	I	<i>I</i>	I	mathalpha	-literal	= I , LATIN CAPITAL LETTER I
0004A	J	<i>J</i>	J	mathalpha	-literal	= J , LATIN CAPITAL LETTER J
0004B	K	<i>K</i>	K	mathalpha	-literal	= K , LATIN CAPITAL LETTER K
0004C	L	<i>L</i>	L	mathalpha	-literal	= L , LATIN CAPITAL LETTER L
0004D	M	<i>M</i>	M	mathalpha	-literal	= M , LATIN CAPITAL LETTER M
0004E	N	<i>N</i>	N	mathalpha	-literal	= N , LATIN CAPITAL LETTER N
0004F	O	<i>O</i>	O	mathalpha	-literal	= O , LATIN CAPITAL LETTER O
00050	P	<i>P</i>	P	mathalpha	-literal	= P , LATIN CAPITAL LETTER P
00051	Q	<i>Q</i>	Q	mathalpha	-literal	= Q , LATIN CAPITAL LETTER Q
00052	R	<i>R</i>	R	mathalpha	-literal	= R , LATIN CAPITAL LETTER R
00053	S	<i>S</i>	S	mathalpha	-literal	= S , LATIN CAPITAL LETTER S
00054	T	<i>T</i>	T	mathalpha	-literal	= T , LATIN CAPITAL LETTER T
00055	U	<i>U</i>	U	mathalpha	-literal	= U , LATIN CAPITAL LETTER U
00056	V	<i>V</i>	V	mathalpha	-literal	= V , LATIN CAPITAL LETTER V
00057	W	<i>W</i>	W	mathalpha	-literal	= W , LATIN CAPITAL LETTER W
00058	X	<i>X</i>	X	mathalpha	-literal	= X , LATIN CAPITAL LETTER X
00059	Y	<i>Y</i>	Y	mathalpha	-literal	= Y , LATIN CAPITAL LETTER Y
0005A	Z	<i>Z</i>	Z	mathalpha	-literal	= Z , LATIN CAPITAL LETTER Z
0005B	[[<code>\lbrack</code>	mathopen		LEFT SQUARE BRACKET
0005C	\	\	<code>\backslash</code>	mathord		REVERSE SOLIDUS
0005D]]	<code>\rbrack</code>	mathclose		RIGHT SQUARE BRACKET
0005F	_	_	<code>_</code>	mathord		LOW LINE, TeX subscript operator
00061	a	<i>a</i>	a	mathalpha	-literal	= a , LATIN SMALL LETTER A
00062	b	<i>b</i>	b	mathalpha	-literal	= b , LATIN SMALL LETTER B
00063	c	<i>c</i>	c	mathalpha	-literal	= c , LATIN SMALL LETTER C
00064	d	<i>d</i>	d	mathalpha	-literal	= d , LATIN SMALL LETTER D
00065	e	<i>e</i>	e	mathalpha	-literal	= e , LATIN SMALL LETTER E
00066	f	<i>f</i>	f	mathalpha	-literal	= f , LATIN SMALL LETTER F
00067	g	<i>g</i>	g	mathalpha	-literal	= g , LATIN SMALL LETTER G
00068	h	<i>h</i>	h	mathalpha	-literal	= h , LATIN SMALL LETTER H
00069	i	<i>i</i>	i	mathalpha	-literal	= i , LATIN SMALL LETTER I
0006A	j	<i>j</i>	j	mathalpha	-literal	= j , LATIN SMALL LETTER J
0006B	k	<i>k</i>	k	mathalpha	-literal	= k , LATIN SMALL LETTER K
0006C	l	<i>l</i>	l	mathalpha	-literal	= l , LATIN SMALL LETTER L
0006D	m	<i>m</i>	m	mathalpha	-literal	= m , LATIN SMALL LETTER M
0006E	n	<i>n</i>	n	mathalpha	-literal	= n , LATIN SMALL LETTER N
0006F	o	<i>o</i>	o	mathalpha	-literal	= o , LATIN SMALL LETTER O

No.	Text	Math	Macro	Category	Requirements	Comments
00070	p	p	<code>p</code>	mathalpha	-literal	= <code>\mathrm{p}</code> , LATIN SMALL LETTER P
00071	q	q	<code>q</code>	mathalpha	-literal	= <code>\mathrm{q}</code> , LATIN SMALL LETTER Q
00072	r	r	<code>r</code>	mathalpha	-literal	= <code>\mathrm{r}</code> , LATIN SMALL LETTER R
00073	s	s	<code>s</code>	mathalpha	-literal	= <code>\mathrm{s}</code> , LATIN SMALL LETTER S
00074	t	t	<code>t</code>	mathalpha	-literal	= <code>\mathrm{t}</code> , LATIN SMALL LETTER T
00075	u	u	<code>u</code>	mathalpha	-literal	= <code>\mathrm{u}</code> , LATIN SMALL LETTER U
00076	v	v	<code>v</code>	mathalpha	-literal	= <code>\mathrm{v}</code> , LATIN SMALL LETTER V
00077	w	w	<code>w</code>	mathalpha	-literal	= <code>\mathrm{w}</code> , LATIN SMALL LETTER W
00078	x	x	<code>x</code>	mathalpha	-literal	= <code>\mathrm{x}</code> , LATIN SMALL LETTER X
00079	y	y	<code>y</code>	mathalpha	-literal	= <code>\mathrm{y}</code> , LATIN SMALL LETTER Y
0007A	z	z	<code>z</code>	mathalpha	-literal	= <code>\mathrm{z}</code> , LATIN SMALL LETTER Z
0007B	{	{	<code>\{</code>	mathopen		= <code>\lbrace</code> , LEFT CURLY BRACKET
0007C			<code> </code>	mathfence		= <code>\vert</code> , vertical bar
0007D	}	}	<code>\}</code>	mathclose		= <code>\rbrace</code> , RIGHT CURLY BRACKET
0007E	~	(~)	<code>\sptilde</code>	mathord	amsxtra	# <code>\sim</code> , TILDE
000A0			<code>~</code>			<code>nbsp</code>
000A3	£	£	<code>\pounds</code>	mathord	-fourier -omlmathit	= <code>\mathsterling</code> (txfonts), POUND SIGN, fourier prints a dollar sign
000AC	¬	¬	<code>\neg</code>	mathord		= <code>\not</code> , NOT SIGN
000B1	±	±	<code>\pm</code>	mathbin		plus-or-minus sign
000B7	·	(·)		mathbin		# <code>\cdot</code> , <code>x \centerdot</code> , b: MIDDLE DOT
000D7	×	×	<code>\times</code>	mathbin		MULTIPLICATION SIGN, z notation Cartesian product
000F7	÷	÷	<code>\div</code>	mathbin		divide sign
00131	ı	ı	<code>\imath</code>	mathalpha	-literal	<code>imath</code>
00237	Ƶ	Ƶ	<code>\jmath</code>	mathalpha	-literal	<code>jmath</code>
00300	˘	˘	<code>\grave</code>	mathaccent		grave accent
00301	ˆ	ˆ	<code>\acute</code>	mathaccent		acute accent
00302	ˆ	ˆ	<code>\hat</code>	mathaccent		# <code>\widehat</code> (amssymb), circumflex accent
00303	˜	˜	<code>\tilde</code>	mathaccent		# <code>\widetilde</code> (yhmath, fourier), tilde
00304	¯	¯	<code>\bar</code>	mathaccent		macron
00305	¯	¯	<code>\overline</code>	mathaccent		overbar embellishment
00306	˘	˘	<code>\breve</code>	mathaccent		breve
00307	˙	˙	<code>\dot</code>	mathaccent	-oz	= <code>\Dot</code> (wrisym), dot above
00308	¨	¨	<code>\ddot</code>	mathaccent		= <code>\DDot</code> (wrisym), dieresis
0030C	ˇ	ˇ	<code>\check</code>	mathaccent		caron
00331	̄	̄	<code>\underbar</code>	mathaccent		COMBINING MACRON BELOW
00332	̅	̅	<code>\underline</code>	mathaccent		COMBINING LOW LINE
00338	̸	̸	<code>\not</code>	mathaccent		COMBINING LONG SOLIDUS OVERLAY
00393	Γ	Γ	<code>\Gamma</code>	mathalpha	-literal	= <code>\Gamma</code> (-slantedGreek), = <code>\mathrm{\Gamma}</code> , capital gamma, greek

No.	Text	Math	Macro	Category	Requirements	Comments
00394	Δ	Δ	<code>\Delta</code>	mathalpha	-literal	= <code>\Delta</code> (-slantedGreek), = <code>\mathrm{\Delta}</code> , capital delta, greek
00398	Θ	Θ	<code>\Theta</code>	mathalpha	-literal	= <code>\Theta</code> (-slantedGreek), = <code>\mathrm{\Theta}</code> , capital theta, greek
0039B	Λ	Λ	<code>\Lambda</code>	mathalpha	-literal	= <code>\Lambda</code> (-slantedGreek), = <code>\mathrm{\Lambda}</code> , capital lambda, greek
0039E	Ξ	Ξ	<code>\Xi</code>	mathalpha	-literal	= <code>\Xi</code> (-slantedGreek), = <code>\mathrm{\Xi}</code> , capital xi, greek
003A0	Π	Π	<code>\Pi</code>	mathalpha	-literal	= <code>\Pi</code> (-slantedGreek), = <code>\mathrm{\Pi}</code> , capital pi, greek
003A3	Σ	Σ	<code>\Sigma</code>	mathalpha	-literal	= <code>\Sigma</code> (-slantedGreek), = <code>\mathrm{\Sigma}</code> , capital sigma, greek
003A5	Υ	Υ	<code>\Upsilon</code>	mathalpha	-literal	= <code>\Upsilon</code> (-slantedGreek), = <code>\mathrm{\Upsilon}</code> , capital upsilon, greek
003A6	Φ	Φ	<code>\Phi</code>	mathalpha	-literal	= <code>\Phi</code> (-slantedGreek), = <code>\mathrm{\Phi}</code> , capital phi, greek
003A8	Ψ	Ψ	<code>\Psi</code>	mathalpha	-literal	= <code>\Psi</code> (-slantedGreek), = <code>\mathrm{\Psi}</code> , capital psi, greek
003A9	Ω	Ω	<code>\Omega</code>	mathalpha	-literal	= <code>\Omega</code> (-slantedGreek), = <code>\mathrm{\Omega}</code> , capital omega, greek
003B1	α	α	<code>\alpha</code>	mathalpha	-literal	= <code>\mathrm{\alpha}</code> (omlmathrm), = <code>\alphaup</code> (kpfonts mathdesign), = <code>\upalpha</code> (upgreek), alpha, greek
003B2	β	β	<code>\beta</code>	mathalpha	-literal	= <code>\mathrm{\beta}</code> (omlmathrm), = <code>\betaup</code> (kpfonts mathdesign), = <code>\upbeta</code> (upgreek), beta, greek
003B3	γ	γ	<code>\gamma</code>	mathalpha	-literal	= <code>\mathrm{\gamma}</code> (omlmathrm), = <code>\gammaup</code> (kpfonts mathdesign), = <code>\upgamma</code> (upgreek), gamma, greek
003B4	δ	δ	<code>\delta</code>	mathalpha	-literal	= <code>\mathrm{\delta}</code> (omlmathrm), = <code>\deltaup</code> (kpfonts mathdesign), = <code>\updelta</code> (upgreek), delta, greek
003B5	ε	ε	<code>\varepsilon</code>	mathalpha	-literal	= <code>\mathrm{\varepsilon}</code> (omlmathrm), = <code>\varepsilonup</code> (kpfonts mathdesign), = <code>\upepsilon</code> (upgreek), rounded epsilon, greek
003B6	ζ	ζ	<code>\zeta</code>	mathalpha	-literal	= <code>\mathrm{\zeta}</code> (omlmathrm), = <code>\zetaup</code> (kpfonts mathdesign), = <code>\upzeta</code> (upgreek), zeta, greek
003B7	η	η	<code>\eta</code>	mathalpha	-literal	= <code>\mathrm{\eta}</code> (omlmathrm), = <code>\etaup</code> (kpfonts mathdesign), = <code>\upeta</code> (upgreek), eta, greek
003B8	θ	θ	<code>\theta</code>	mathalpha	-literal	= <code>\mathrm{\theta}</code> (omlmathrm), = <code>\thetaup</code> (kpfonts mathdesign), straight theta, = <code>\uptheta</code> (upgreek), theta, greek
003B9	ι	ι	<code>\iota</code>	mathalpha	-literal	= <code>\mathrm{\iota}</code> (omlmathrm), = <code>\iotaup</code> (kpfonts mathdesign), = <code>\upiota</code> (upgreek), iota, greek
003BA	κ	κ	<code>\kappa</code>	mathalpha	-literal	= <code>\mathrm{\kappa}</code> (omlmathrm), = <code>\kappaup</code> (kpfonts mathdesign), = <code>\upkappa</code> (upgreek), kappa, greek
003BB	λ	λ	<code>\lambda</code>	mathalpha	-literal	= <code>\mathrm{\lambda}</code> (omlmathrm), = <code>\lambdaup</code> (kpfonts mathdesign), = <code>\uplambda</code> (upgreek), lambda, greek
003BC	μ	μ	<code>\mu</code>	mathalpha	-literal	= <code>\mathrm{\mu}</code> (omlmathrm), = <code>\muup</code> (kpfonts mathdesign), = <code>\upmu</code> (upgreek), mu, greek
003BD	ν	ν	<code>\nu</code>	mathalpha	-literal	= <code>\mathrm{\nu}</code> (omlmathrm), = <code>\nuup</code> (kpfonts mathdesign), = <code>\upnu</code> (upgreek), nu, greek
003BE	ξ	ξ	<code>\xi</code>	mathalpha	-literal	= <code>\mathrm{\xi}</code> (omlmathrm), = <code>\xiup</code> (kpfonts mathdesign), = <code>\upxi</code> (upgreek), xi, greek
003C0	π	π	<code>\pi</code>	mathalpha	-literal	= <code>\mathrm{\pi}</code> (omlmathrm), = <code>\piup</code> (kpfonts mathdesign), = <code>\uppi</code> (upgreek), pi, greek

No.	Text	Math	Macro	Category	Requirements	Comments
003C1	ρ	ρ	<code>\rho</code>	mathalpha	-literal	= <code>\mathrm{\rho}</code> (omlmathrm), = <code>\rhoup</code> (kpfonts mathdesign), = <code>\uprho</code> (upgreek), rho, greek
003C2	ς	ς	<code>\varsigma</code>	mathalpha	-literal	= <code>\mathrm{\varsigma}</code> (omlmathrm), = <code>\varsigmaup</code> (kpfonts mathdesign), = <code>\upvarsigma</code> (upgreek), terminal sigma, greek
003C3	σ	σ	<code>\sigma</code>	mathalpha	-literal	= <code>\mathrm{\sigma}</code> (omlmathrm), = <code>\sigmaup</code> (kpfonts mathdesign), = <code>\upsigma</code> (upgreek), sigma, greek
003C4	τ	τ	<code>\tau</code>	mathalpha	-literal	= <code>\mathrm{\tau}</code> (omlmathrm), = <code>\tauup</code> (kpfonts mathdesign), = <code>\uptau</code> (upgreek), tau, greek
003C5	υ	υ	<code>\upsilon</code>	mathalpha	-literal	= <code>\mathrm{\upsilon}</code> (omlmathrm), = <code>\upsilonup</code> (kpfonts mathdesign), = <code>\upupsilon</code> (upgreek), upsilon, greek
003C6	φ	φ	<code>\varphi</code>	mathalpha	-literal	= <code>\mathrm{\varphi}</code> (omlmathrm), = <code>\varphiup</code> (kpfonts mathdesign), = <code>\upvarphi</code> (upgreek), curly or open phi, greek
003C7	χ	χ	<code>\chi</code>	mathalpha	-literal	= <code>\mathrm{\chi}</code> (omlmathrm), = <code>\chiup</code> (kpfonts mathdesign), = <code>\upchi</code> (upgreek), chi, greek
003C8	ψ	ψ	<code>\psi</code>	mathalpha	-literal	= <code>\mathrm{\psi}</code> (omlmathrm), = <code>\psiup</code> (kpfonts mathdesign), = <code>\uppsi</code> (upgreek), psi, greek
003C9	ω	ω	<code>\omega</code>	mathalpha	-literal	= <code>\mathrm{\omega}</code> (omlmathrm), = <code>\omegaup</code> (kpfonts mathdesign), = <code>\upomega</code> (upgreek), omega, greek
003D1	ϑ	ϑ	<code>\vartheta</code>	mathalpha	-literal	= <code>\mathrm{\vartheta}</code> (omlmathrm), = <code>\varthetaup</code> (kpfonts mathdesign), curly or open theta
003D2	Υ	(Υ)		mathalpha		# <code>\mathrm{\Upsilon}</code> , GREEK UPSILON WITH HOOK SYMBOL
003D5	ϕ	ϕ	<code>\phi</code>	mathalpha	-literal	= <code>\mathrm{\phi}</code> (omlmathrm), = <code>\phiup</code> (kpfonts mathdesign), GREEK PHI SYMBOL (straight)
003D6	ϖ	ϖ	<code>\varpi</code>	mathalpha	-literal	= <code>\mathrm{\varpi}</code> (omlmathrm), = <code>\varpiup</code> (kpfonts mathdesign), GREEK PI SYMBOL (pomega)
02001	\quad		<code>\quad</code>			<code>emquad</code>
0200B		$()$				# <code>\hspace{0pt}</code> , <code>zwsp</code>
02016	\parallel	\parallel	<code>\parallel</code>	mathfence		= <code>\Vert</code> , double vertical bar
02020	\dagger	\dagger	<code>\dagger</code>	mathbin		DAGGER relation
02021	\ddagger	\ddagger	<code>\ddagger</code>	mathbin		DOUBLE DAGGER relation
02022	\bullet	(\bullet)		mathbin		# <code>\bullet</code> , <code>b</code> : round BULLET, filled
02026	\dots	\dots	<code>\dots</code>	mathord		ellipsis (horizontal)
02032	$'$	$'$	<code>\prime</code>	mathord		PRIME or minute, not superscripted
0203C	$!!$	$(!!)$		mathord		# <code>!!</code> , DOUBLE EXCLAMATION MARK
02044	$/$	$(/)$		mathbin		# <code>/</code> , FRACTION SLASH
02047	$??$	$(??)$		mathord		# <code>??</code> , DOUBLE QUESTION MARK
0204E	$*$	$(*)$		mathbin		# <code>\ast</code> , <code>lowast</code> , LOW ASTERISK
02052	$\./.$	$(./.)$		mathord		# <code>\./.</code> , COMMERCIAL MINUS SIGN

No.	Text	Math	Macro	Category	Requirements	Comments
0205F			<code>\:</code>			= <code>\medspace</code> (amsmath), MEDIUM MATHEMATICAL SPACE, four-eighteenths of an em
020D6	\vec{x}	(\overleftarrow{x})	<code>\LVec</code>	mathaccent	wrisym	# <code>\overleftarrow</code> , COMBINING LEFT ARROW ABOVE
020D7	\vec{x}	\vec{x}	<code>\vec</code>	mathaccent	-wrisym	= <code>\Vec</code> (wrisym), # <code>\overrightarrow</code> , COMBINING RIGHT ARROW ABOVE
0210B	\mathcal{H}	\mathcal{H}	<code>\mathcal{H}</code>	mathalpha		hamiltonian (script capital H)
0210E	h	(h)		mathord		# h, Planck constant
02110	\mathcal{I}	\mathcal{I}	<code>\mathcal{I}</code>	mathalpha		/scr I, script capital I
02111	\Im	\Im	<code>\Im</code>	mathalpha		= <code>\mathfrak{I}</code> (eufrak), imaginary part
02112	\mathcal{L}	\mathcal{L}	<code>\mathcal{L}</code>	mathalpha		lagrangian (script capital L)
02113	ℓ	ℓ	<code>\ell</code>	mathalpha		cursive small l
0211B	\mathcal{R}	\mathcal{R}	<code>\mathcal{R}</code>	mathalpha		/scr R, script capital R
0211C	\Re	\Re	<code>\Re</code>	mathalpha		= <code>\mathfrak{R}</code> (eufrak), real part
02126	Ω	(Ω)	<code>\tcohm</code>	mathalpha	mathcomp	# <code>\mathrm{\Omega}</code> , ohm (deprecated in math, use greek letter)
0212B	\AA	(\AA)	<code>\Angstroem</code>	mathalpha	wrisym	# <code>\mathring{\mathrm{A}}</code> , Ångström capital A with ring
0212C	\mathcal{B}	\mathcal{B}	<code>\mathcal{B}</code>	mathalpha		bernoulli function (script capital B)
02130	\mathcal{E}	\mathcal{E}	<code>\mathcal{E}</code>	mathalpha		/scr E, script capital E
02131	\mathcal{F}	\mathcal{F}	<code>\mathcal{F}</code>	mathalpha		/scr F, script capital F
02133	\mathcal{M}	\mathcal{M}	<code>\mathcal{M}</code>	mathalpha		physics m-matrix (SCRIPT CAPITAL M)
02135	\aleph	\aleph	<code>\aleph</code>	mathalpha		aleph, hebrew
02190	\leftarrow	\leftarrow	<code>\leftarrow</code>	mathrel		= <code>\gets</code> , a: leftward arrow
02191	\uparrow	\uparrow	<code>\uparrow</code>	mathrel		upward arrow
02192	\rightarrow	\rightarrow	<code>\rightarrow</code>	mathrel		= <code>\to</code> , = <code>\tfun</code> (oz), = <code>\fun</code> (oz), rightward arrow, z notation total function
02193	\downarrow	\downarrow	<code>\downarrow</code>	mathrel		downward arrow
02194	\leftrightarrow	\leftrightarrow	<code>\leftrightarrow</code>	mathrel	-wrisym	= <code>\rel</code> (oz), LEFT RIGHT ARROW, z notation relation
02195	\updownarrow	\updownarrow	<code>\updownarrow</code>	mathrel		up and down arrow
02197	\nearrow	\nearrow	<code>\nearrow</code>	mathrel		ne pointing arrow
02198	\searrow	\searrow	<code>\searrow</code>	mathrel		se pointing arrow
02199	\swarrow	\swarrow	<code>\swarrow</code>	mathrel		sw pointing arrow
021A6	\mapsto	\mapsto	<code>\mapsto</code>	mathrel		maps to, rightward, z notation maplet
021A9	\hookleftarrow	\hookleftarrow	<code>\hookleftarrow</code>	mathrel		left arrow-hooked
021AA	\hookrightarrow	\hookrightarrow	<code>\hookrightarrow</code>	mathrel		right arrow-hooked
021BC	\leftharpoonup	\leftharpoonup	<code>\leftharpoonup</code>	mathrel		left harpoon-up
021BD	\leftharpoondown	\leftharpoondown	<code>\leftharpoondown</code>	mathrel		left harpoon-down
021C0	\rightharpoonup	\rightharpoonup	<code>\rightharpoonup</code>	mathrel		right harpoon-up
021C1	\rightharpoondown	\rightharpoondown	<code>\rightharpoondown</code>	mathrel		right harpoon-down
021CC	\rightleftharpoons	\rightleftharpoons	<code>\rightleftharpoons</code>	mathrel		= <code>\equilibrium</code> (wrisym), right harpoon over left
021D0	\Lleftarrow	\Lleftarrow	<code>\Lleftarrow</code>	mathrel		left double arrow
021D1	\Uparrow	\Uparrow	<code>\Uparrow</code>	mathrel		up double arrow

No.	Text	Math	Macro	Category	Requirements	Comments
021D2	\Rightarrow	\Rightarrow	<code>\Rightarrow</code>	mathrel	-marvosym	right double arrow
021D3	\Downarrow	\Downarrow	<code>\Downarrow</code>	mathrel		down double arrow
021D4	\Leftrightarrow	\Leftrightarrow	<code>\Leftrightarrow</code>	mathrel		left and right double arrow
021D5	\Updownarrow	\Updownarrow	<code>\Updownarrow</code>	mathrel		up and down double arrow
02200	\forall	\forall	<code>\forall</code>	mathord		FOR ALL
02202	∂	(∂)	<code>\partial</code>	mathord	kpfonts	# <code>\partial</code> , PARTIAL DIFFERENTIAL
02203	\exists	\exists	<code>\exists</code>	mathord		= <code>\exists</code> (oz), at least one exists
02206	Δ	(Δ)		mathord		# <code>\mathrm{\Delta}</code> , laplacian (Delta; nabla square)
02207	∇	∇	<code>\nabla</code>	mathord		NABLA, del, hamilton operator
02208	\in	\in	<code>\in</code>	mathrel		set membership, variant
02209	\notin	\notin	<code>\notin</code>	mathrel		= <code>\nin</code> (wrisym), negated set membership
0220B	\ni	\ni	<code>\ni</code>	mathrel		= <code>\owns</code> , contains, variant
0220F	\prod	\prod	<code>\prod</code>	mathop		product operator
02210	\coprod	\coprod	<code>\coprod</code>	mathop		coproduct operator
02211	\sum	\sum	<code>\sum</code>	mathop		summation operator
02212	$-$	$-$	<code>-</code>	mathbin		MINUS SIGN
02213	\mp	\mp	<code>\mp</code>	mathbin		MINUS-OR-PLUS SIGN
02215	$/$	$/$	<code>\slash</code>	mathbin		DIVISION SLASH
02217	$*$	$*$	<code>\ast</code>	mathbin		ASTERISK OPERATOR (Hodge star operator)
02218	\circ	\circ	<code>\circ</code>	mathbin		composite function (small circle)
02219	\bullet	\bullet	<code>\bullet</code>	mathbin		BULLET OPERATOR
0221A	$\sqrt{\quad}$	\sqrt{x}	<code>\sqrt</code>	mathradical		radical
0221B	$\sqrt[3]{\quad}$	$\sqrt[3]{x}$	<code>\sqrt[3]</code>	mathradical		CUBE ROOT
0221C	$\sqrt[4]{\quad}$	$\sqrt[4]{x}$	<code>\sqrt[4]</code>	mathradical		FOURTH ROOT
0221D	\propto	\propto	<code>\propto</code>	mathrel		# <code>\varpropto</code> (amssymb), is PROPORTIONAL TO
0221E	∞	∞	<code>\infty</code>	mathord		INFINITY
02220	\angle	\angle	<code>\angle</code>	mathord		ANGLE
02223	$ $	$ $	<code>\mid</code>	mathrel		r: DIVIDES
02225	\parallel	\parallel	<code>\parallel</code>	mathrel		parallel
02227	\wedge	\wedge	<code>\wedge</code>	mathbin	amssymb	= <code>\land</code> , b: LOGICAL AND
02228	\vee	\vee	<code>\vee</code>	mathbin		= <code>\lor</code> , b: LOGICAL OR
02229	\cap	\cap	<code>\cap</code>	mathbin		INTERSECTION
0222A	\cup	\cup	<code>\cup</code>	mathbin		UNION or logical sum
0222B	\int	\int	<code>\int</code>	mathop		INTEGRAL operator
0222E	\oint	\oint	<code>\oint</code>	mathop		CONTOUR INTEGRAL operator
02236	$:$	$:$	<code>:</code>	mathrel		x <code>\colon</code> , RATIO
02237	$::$	$(::)$	<code>\Proportion</code>	mathrel	wrisym	# <code>::</code> , two colons
02239	$:-$	$(- :)$	<code>\leqcolon</code>	mathrel	txfonts -mathabx	# <code>-:</code> ,EXCESS

No.	Text	Math	Macro	Category	Requirements	Comments
0223C	~	~	<code>\sim</code>	mathrel		similar to, TILDE OPERATOR
02243	≈	≈	<code>\simeq</code>	mathrel		similar, equals
02245	≅	≅	<code>\cong</code>	mathrel		congruent with
02248	≈	≈	<code>\approx</code>	mathrel		approximate
0224D	∞	∞	<code>\asymp</code>	mathrel		asymptotically equal to
02250	≐	≐	<code>\doteq</code>	mathrel		= <code>\dotequal</code> (wrisym), equals, single dot above
02254	⋮	(:≐)	<code>\coloneq</code>	mathrel	mathabx -txfonts	= <code>\coloneqq</code> (txfonts), = <code>\SetDelayed</code> (wrisym), # := colon, equals
02255	⋮	(=:)	<code>\eqcolon</code>	mathrel	mathabx -txfonts	= <code>\eqqcolon</code> (txfonts), # =:, equals, colon
02260	≠	≠	<code>\neq</code>	mathrel		= <code>\ne</code> , r: not equal
02261	≡	≡	<code>\equiv</code>	mathrel		identical with
02264	≤	≤	<code>\leq</code>	mathrel		= <code>\le</code> , r: less-than-or-equal
02265	≥	≥	<code>\geq</code>	mathrel		= <code>\ge</code> , r: greater-than-or-equal
0226A	≪	≪	<code>\ll</code>	mathrel		much less than, type 2
0226B	≫	≫	<code>\gg</code>	mathrel		much greater than, type 2
0227A	⋖	⋖	<code>\prec</code>	mathrel		PRECEDES
0227B	⋗	⋗	<code>\succ</code>	mathrel		SUCCEEDS
02282	⊂	⊂	<code>\subset</code>	mathrel		subset or is implied by
02283	⊃	⊃	<code>\supset</code>	mathrel		superset or implies
02286	⊆	⊆	<code>\subseteq</code>	mathrel		subset, equals
02287	⊇	⊇	<code>\supseteq</code>	mathrel		superset, equals
0228E	⊕	⊕	<code>\uplus</code>	mathbin		= <code>\buni</code> (oz), plus sign in union
02291	⊐	⊐	<code>\sqsubseteq</code>	mathrel		square subset, equals
02292	⊑	⊑	<code>\sqsupseteq</code>	mathrel		square superset, equals
02293	⊓	⊓	<code>\sqcap</code>	mathbin		square intersection
02294	⊔	⊔	<code>\sqcup</code>	mathbin		square union
02295	⊕	⊕	<code>\oplus</code>	mathbin		plus sign in circle
02296	⊖	⊖	<code>\ominus</code>	mathbin		minus sign in circle
02297	⊗	⊗	<code>\otimes</code>	mathbin		multiply sign in circle
02298	⊘	⊘	<code>\oslash</code>	mathbin		solidus in circle
02299	⊙	⊙	<code>\odot</code>	mathbin		middle dot in circle
022A2	⊢	⊢	<code>\vdash</code>	mathrel		RIGHT TACK, proves, implies, yields, (vertical, dash)
022A4	⊤	⊤	<code>\top</code>	mathord		DOWN TACK, top
022A5	⊥	⊥	<code>\bot</code>	mathord		UP TACK, bottom
022A6	⊢	(⊢)		mathrel		# <code>\vdash</code> , ASSERTION (vertical, short dash)
022A7	⊢	⊢	<code>\models</code>	mathrel		MODELS (vertical, short double dash)
022C0	∧	∧	<code>\bigwedge</code>	mathop		logical or operator
022C1	∨	∨	<code>\bigvee</code>	mathop		logical and operator
022C2	∩	∩	<code>\bigcap</code>	mathop		= <code>\dint</code> (oz), <code>\dinter</code> (oz), intersection operator

No.	Text	Math	Macro	Category	Requirements	Comments
022C3	∪	∪	<code>\bigcup</code>	mathop		= <code>\duni (oz)</code> , <code>\dunion (oz)</code> , union operator
022C4	◇	◇	<code>\diamond</code>	mathbin		DIAMOND OPERATOR (white diamond)
022C5	·	·	<code>\cdot</code>	mathbin		DOT OPERATOR (small middle dot)
022C6	★	★	<code>\star</code>	mathbin		small star, filled, low
022C8	⌘	⌘	<code>\bowtie</code>	mathrel		= <code>\lrtimes (txfonts)</code> , BOWTIE
022EE	⋮	⋮	<code>\vdots</code>	mathrel		VERTICAL ELLIPSIS
022EF	⋯	⋯	<code>\cdots</code>	mathord		three dots, centered
022F1	⋱	⋱	<code>\ddots</code>	mathrel		three dots, descending
022FF	E	(E)		mathrel		# <code>\mathsf{E}</code> , Z NOTATION BAG MEMBERSHIP
02308	⌈	⌈	<code>\lceil</code>	mathopen		LEFT CEILING
02309	⌋	⌋	<code>\rceil</code>	mathclose		RIGHT CEILING
0230A	⌊	⌊	<code>\lfloor</code>	mathopen		LEFT FLOOR
0230B	⌋	⌋	<code>\rfloor</code>	mathclose		RIGHT FLOOR
02322	⌒	⌒	<code>\frown</code>	mathrel		# <code>\smallFROWN</code> , down curve
02323	⌓	⌓	<code>\smile</code>	mathrel		# <code>\smallSMILE</code> , up curve
023DE	⏞	⏞ <i>x</i>	<code>\overbrace</code>	mathover		TOP CURLY BRACKET (mathematical use)
023DF	⏟	⏟ <i>x</i>	<code>\underbrace</code>	mathunder		BOTTOM CURLY BRACKET (mathematical use)
025B3	△	△	<code>\bigtriangleup</code>	mathbin	-stmaryrd	= <code>\triangle (amsfonts)</code> , # <code>\vartriangle (amssymb)</code> , big up triangle, open
025B9	▷	▷	<code>\smalltriangleright</code>	mathbin	mathabx	# <code>\triangleright</code> , x <code>\triangleright</code> (<code>mathabx</code>), right triangle, open
025BD	▽	▽	<code>\bigtriangledown</code>	mathbin	-stmaryrd	big down triangle, open
025C3	◁	◁	<code>\smalltriangleleft</code>	mathbin	mathabx	# <code>\triangleleft</code> , x <code>\triangleleft</code> (<code>mathabx</code>), left triangle, open
02660	♠	♠	<code>\spadesuit</code>	mathord		spades suit symbol
02661	♥	♥	<code>\heartsuit</code>	mathord		heart suit symbol
02662	◇	◇	<code>\diamondsuit</code>	mathord		diamond suit symbol
02663	♣	♣	<code>\clubsuit</code>	mathord		club suit symbol
0266D	♭	♭	<code>\flat</code>	mathord		musical flat
0266E	♮	♮	<code>\natural</code>	mathord		music natural
0266F	♯	♯	<code>\sharp</code>	mathord		# <code>\# (oz)</code> , musical sharp, z notation infix bag count
027C2	⊥	⊥	<code>\perp</code>	mathrel		PERPENDICULAR
027E8	⟨	⟨	<code>\langle</code>	mathopen		MATHEMATICAL LEFT ANGLE BRACKET
027E9	⟩	⟩	<code>\rangle</code>	mathclose		MATHEMATICAL RIGHT ANGLE BRACKET
027EE	({	<code>\lgroup</code>	mathopen		MATHEMATICAL LEFT FLATTENED PARENTHESIS
027EF)	}	<code>\rgroup</code>	mathclose		MATHEMATICAL RIGHT FLATTENED PARENTHESIS
027F5	←	←	<code>\longleftarrow</code>	mathrel		LONG LEFTWARDS ARROW
027F6	→	→	<code>\longrightarrow</code>	mathrel		LONG RIGHTWARDS ARROW
027F7	↔	↔	<code>\longleftrightarrow</code>	mathrel		LONG LEFT RIGHT ARROW

No.	Text	Math	Macro	Category	Requirements	Comments
027F8	\Leftarrow	\Leftarrow	<code>\Longleftarrow</code>	mathrel		= <code>\impliedby</code> (amsmath), LONG LEFTWARDS DOUBLE ARROW
027F9	\Rightarrow	\Rightarrow	<code>\Longrightarrow</code>	mathrel		= <code>\implies</code> (amsmath), LONG RIGHTWARDS DOUBLE ARROW
027FA	\Leftrightarrow	\Leftrightarrow	<code>\Longleftrightarrow</code>	mathrel		= <code>\iff</code> (oz), LONG LEFT RIGHT DOUBLE ARROW
027FC	\mapsto	\mapsto	<code>\longmapsto</code>	mathrel		LONG RIGHTWARDS ARROW FROM BAR
029F5	\setminus	\setminus	<code>\setminus</code>	mathbin		REVERSE SOLIDUS OPERATOR
02A00	\odot	\odot	<code>\bigodot</code>	mathop		N-ARY CIRCLED DOT OPERATOR
02A01	\oplus	\oplus	<code>\bigoplus</code>	mathop		N-ARY CIRCLED PLUS OPERATOR
02A02	\otimes	\otimes	<code>\bigotimes</code>	mathop		N-ARY CIRCLED TIMES OPERATOR
02A04	\uplus	\uplus	<code>\biguplus</code>	mathop		N-ARY UNION OPERATOR WITH PLUS
02A06	\sqcup	\sqcup	<code>\bigsqcup</code>	mathop		N-ARY SQUARE UNION OPERATOR
02A2F	\times	(\times)		mathbin		# <code>\times</code> , VECTOR OR CROSS PRODUCT
02A3F	\amalg	\amalg	<code>\amalg</code>	mathbin		AMALGAMATION OR COPRODUCT
02A74	$::=$	$(::=)$	<code>\Coloneqq</code>	mathrel	txfonts	# <code>::=</code> , x <code>\Coloneq</code> (txfonts), DOUBLE COLON EQUAL
02A75	$==$	$(==)$	<code>\Equal</code>	mathrel	wrisym	# <code>==</code> , TWO CONSECUTIVE EQUALS SIGNS
02A76	$===$	$(===)$	<code>\Same</code>	mathrel	wrisym	# <code>===</code> , THREE CONSECUTIVE EQUALS SIGNS
02AAF	\preceq	\preceq	<code>\preceq</code>	mathrel		PRECEDES ABOVE SINGLE-LINE EQUALS SIGN
02AB0	\succeq	\succeq	<code>\succeq</code>	mathrel		SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN
03008	\angle	(\angle)		mathopen		# <code>\angle</code> , LEFT ANGLE BRACKET (deprecated for math use)
03009	\sphericalangle	(\sphericalangle)		mathclose		# <code>\sphericalangle</code> , RIGHT ANGLE BRACKET (deprecated for math use)
1D400	A	A	<code>\mathbf{A}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL A
1D401	B	B	<code>\mathbf{B}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL B
1D402	C	C	<code>\mathbf{C}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL C
1D403	D	D	<code>\mathbf{D}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL D
1D404	E	E	<code>\mathbf{E}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL E
1D405	F	F	<code>\mathbf{F}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL F
1D406	G	G	<code>\mathbf{G}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL G
1D407	H	H	<code>\mathbf{H}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL H
1D408	I	I	<code>\mathbf{I}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL I
1D409	J	J	<code>\mathbf{J}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL J
1D40A	K	K	<code>\mathbf{K}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL K
1D40B	L	L	<code>\mathbf{L}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL L
1D40C	M	M	<code>\mathbf{M}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL M
1D40D	N	N	<code>\mathbf{N}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL N
1D40E	O	O	<code>\mathbf{O}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL O
1D40F	P	P	<code>\mathbf{P}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL P
1D410	Q	Q	<code>\mathbf{Q}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL Q
1D411	R	R	<code>\mathbf{R}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL R
1D412	S	S	<code>\mathbf{S}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL S

No.	Text	Math	Macro	Category	Requirements	Comments
1D413	T	T	<code>\mathbf{T}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL T
1D414	U	U	<code>\mathbf{U}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL U
1D415	V	V	<code>\mathbf{V}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL V
1D416	W	W	<code>\mathbf{W}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL W
1D417	X	X	<code>\mathbf{X}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL X
1D418	Y	Y	<code>\mathbf{Y}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL Y
1D419	Z	Z	<code>\mathbf{Z}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL Z
1D41A	a	a	<code>\mathbf{a}</code>	mathalpha		MATHEMATICAL BOLD SMALL A
1D41B	b	b	<code>\mathbf{b}</code>	mathalpha		MATHEMATICAL BOLD SMALL B
1D41C	c	c	<code>\mathbf{c}</code>	mathalpha		MATHEMATICAL BOLD SMALL C
1D41D	d	d	<code>\mathbf{d}</code>	mathalpha		MATHEMATICAL BOLD SMALL D
1D41E	e	e	<code>\mathbf{e}</code>	mathalpha		MATHEMATICAL BOLD SMALL E
1D41F	f	f	<code>\mathbf{f}</code>	mathalpha		MATHEMATICAL BOLD SMALL F
1D420	g	g	<code>\mathbf{g}</code>	mathalpha		MATHEMATICAL BOLD SMALL G
1D421	h	h	<code>\mathbf{h}</code>	mathalpha		MATHEMATICAL BOLD SMALL H
1D422	i	i	<code>\mathbf{i}</code>	mathalpha		MATHEMATICAL BOLD SMALL I
1D423	j	j	<code>\mathbf{j}</code>	mathalpha		MATHEMATICAL BOLD SMALL J
1D424	k	k	<code>\mathbf{k}</code>	mathalpha		MATHEMATICAL BOLD SMALL K
1D425	l	l	<code>\mathbf{l}</code>	mathalpha		MATHEMATICAL BOLD SMALL L
1D426	m	m	<code>\mathbf{m}</code>	mathalpha		MATHEMATICAL BOLD SMALL M
1D427	n	n	<code>\mathbf{n}</code>	mathalpha		MATHEMATICAL BOLD SMALL N
1D428	o	o	<code>\mathbf{o}</code>	mathalpha		MATHEMATICAL BOLD SMALL O
1D429	p	p	<code>\mathbf{p}</code>	mathalpha		MATHEMATICAL BOLD SMALL P
1D42A	q	q	<code>\mathbf{q}</code>	mathalpha		MATHEMATICAL BOLD SMALL Q
1D42B	r	r	<code>\mathbf{r}</code>	mathalpha		MATHEMATICAL BOLD SMALL R
1D42C	s	s	<code>\mathbf{s}</code>	mathalpha		MATHEMATICAL BOLD SMALL S
1D42D	t	t	<code>\mathbf{t}</code>	mathalpha		MATHEMATICAL BOLD SMALL T
1D42E	u	u	<code>\mathbf{u}</code>	mathalpha		MATHEMATICAL BOLD SMALL U
1D42F	v	v	<code>\mathbf{v}</code>	mathalpha		MATHEMATICAL BOLD SMALL V
1D430	w	w	<code>\mathbf{w}</code>	mathalpha		MATHEMATICAL BOLD SMALL W
1D431	x	x	<code>\mathbf{x}</code>	mathalpha		MATHEMATICAL BOLD SMALL X
1D432	y	y	<code>\mathbf{y}</code>	mathalpha		MATHEMATICAL BOLD SMALL Y
1D433	z	z	<code>\mathbf{z}</code>	mathalpha		MATHEMATICAL BOLD SMALL Z
1D434	<i>A</i>	<i>A</i>	<code>A</code>	mathalpha	-frenchstyle	= <code>\mathit{A}</code> , MATHEMATICAL ITALIC CAPITAL A
1D435	<i>B</i>	<i>B</i>	<code>B</code>	mathalpha	-frenchstyle	= <code>\mathit{B}</code> , MATHEMATICAL ITALIC CAPITAL B
1D436	<i>C</i>	<i>C</i>	<code>C</code>	mathalpha	-frenchstyle	= <code>\mathit{C}</code> , MATHEMATICAL ITALIC CAPITAL C
1D437	<i>D</i>	<i>D</i>	<code>D</code>	mathalpha	-frenchstyle	= <code>\mathit{D}</code> , MATHEMATICAL ITALIC CAPITAL D
1D438	<i>E</i>	<i>E</i>	<code>E</code>	mathalpha	-frenchstyle	= <code>\mathit{E}</code> , MATHEMATICAL ITALIC CAPITAL E

No.	Text	Math	Macro	Category	Requirements	Comments
1D439	<i>F</i>	<i>F</i>	F	mathalpha	-frenchstyle	= F , MATHEMATICAL ITALIC CAPITAL F
1D43A	<i>G</i>	<i>G</i>	G	mathalpha	-frenchstyle	= G , MATHEMATICAL ITALIC CAPITAL G
1D43B	<i>H</i>	<i>H</i>	H	mathalpha	-frenchstyle	= H , MATHEMATICAL ITALIC CAPITAL H
1D43C	<i>I</i>	<i>I</i>	I	mathalpha	-frenchstyle	= I , MATHEMATICAL ITALIC CAPITAL I
1D43D	<i>J</i>	<i>J</i>	J	mathalpha	-frenchstyle	= J , MATHEMATICAL ITALIC CAPITAL J
1D43E	<i>K</i>	<i>K</i>	K	mathalpha	-frenchstyle	= K , MATHEMATICAL ITALIC CAPITAL K
1D43F	<i>L</i>	<i>L</i>	L	mathalpha	-frenchstyle	= L , MATHEMATICAL ITALIC CAPITAL L
1D440	<i>M</i>	<i>M</i>	M	mathalpha	-frenchstyle	= M , MATHEMATICAL ITALIC CAPITAL M
1D441	<i>N</i>	<i>N</i>	N	mathalpha	-frenchstyle	= N , MATHEMATICAL ITALIC CAPITAL N
1D442	<i>O</i>	<i>O</i>	O	mathalpha	-frenchstyle	= O , MATHEMATICAL ITALIC CAPITAL O
1D443	<i>P</i>	<i>P</i>	P	mathalpha	-frenchstyle	= P , MATHEMATICAL ITALIC CAPITAL P
1D444	<i>Q</i>	<i>Q</i>	Q	mathalpha	-frenchstyle	= Q , MATHEMATICAL ITALIC CAPITAL Q
1D445	<i>R</i>	<i>R</i>	R	mathalpha	-frenchstyle	= R , MATHEMATICAL ITALIC CAPITAL R
1D446	<i>S</i>	<i>S</i>	S	mathalpha	-frenchstyle	= S , MATHEMATICAL ITALIC CAPITAL S
1D447	<i>T</i>	<i>T</i>	T	mathalpha	-frenchstyle	= T , MATHEMATICAL ITALIC CAPITAL T
1D448	<i>U</i>	<i>U</i>	U	mathalpha	-frenchstyle	= U , MATHEMATICAL ITALIC CAPITAL U
1D449	<i>V</i>	<i>V</i>	V	mathalpha	-frenchstyle	= V , MATHEMATICAL ITALIC CAPITAL V
1D44A	<i>W</i>	<i>W</i>	W	mathalpha	-frenchstyle	= W , MATHEMATICAL ITALIC CAPITAL W
1D44B	<i>X</i>	<i>X</i>	X	mathalpha	-frenchstyle	= X , MATHEMATICAL ITALIC CAPITAL X
1D44C	<i>Y</i>	<i>Y</i>	Y	mathalpha	-frenchstyle	= Y , MATHEMATICAL ITALIC CAPITAL Y
1D44D	<i>Z</i>	<i>Z</i>	Z	mathalpha	-frenchstyle	= Z , MATHEMATICAL ITALIC CAPITAL Z
1D44E	<i>a</i>	<i>a</i>	a	mathalpha	-uprightstyle	= a , MATHEMATICAL ITALIC SMALL A
1D44F	<i>b</i>	<i>b</i>	b	mathalpha	-uprightstyle	= b , MATHEMATICAL ITALIC SMALL B
1D450	<i>c</i>	<i>c</i>	c	mathalpha	-uprightstyle	= c , MATHEMATICAL ITALIC SMALL C
1D451	<i>d</i>	<i>d</i>	d	mathalpha	-uprightstyle	= d , MATHEMATICAL ITALIC SMALL D
1D452	<i>e</i>	<i>e</i>	e	mathalpha	-uprightstyle	= e , MATHEMATICAL ITALIC SMALL E
1D453	<i>f</i>	<i>f</i>	f	mathalpha	-uprightstyle	= f , MATHEMATICAL ITALIC SMALL F
1D454	<i>g</i>	<i>g</i>	g	mathalpha	-uprightstyle	= g , MATHEMATICAL ITALIC SMALL G
1D456	<i>i</i>	<i>i</i>	i	mathalpha	-uprightstyle	= i , MATHEMATICAL ITALIC SMALL I
1D457	<i>j</i>	<i>j</i>	j	mathalpha	-uprightstyle	= j , MATHEMATICAL ITALIC SMALL J
1D458	<i>k</i>	<i>k</i>	k	mathalpha	-uprightstyle	= k , MATHEMATICAL ITALIC SMALL K
1D459	<i>l</i>	<i>l</i>	l	mathalpha	-uprightstyle	= l , MATHEMATICAL ITALIC SMALL L
1D45A	<i>m</i>	<i>m</i>	m	mathalpha	-uprightstyle	= m , MATHEMATICAL ITALIC SMALL M
1D45B	<i>n</i>	<i>n</i>	n	mathalpha	-uprightstyle	= n , MATHEMATICAL ITALIC SMALL N
1D45C	<i>o</i>	<i>o</i>	o	mathalpha	-uprightstyle	= o , MATHEMATICAL ITALIC SMALL O
1D45D	<i>p</i>	<i>p</i>	p	mathalpha	-uprightstyle	= p , MATHEMATICAL ITALIC SMALL P
1D45E	<i>q</i>	<i>q</i>	q	mathalpha	-uprightstyle	= q , MATHEMATICAL ITALIC SMALL Q
1D45F	<i>r</i>	<i>r</i>	r	mathalpha	-uprightstyle	= r , MATHEMATICAL ITALIC SMALL R

No.	Text	Math	Macro	Category	Requirements	Comments
1D460	<i>s</i>	<i>s</i>	<code>s</code>	mathalpha	-uprightstyle	<code>= \mathit{s}</code> , MATHEMATICAL ITALIC SMALL S
1D461	<i>t</i>	<i>t</i>	<code>t</code>	mathalpha	-uprightstyle	<code>= \mathit{t}</code> , MATHEMATICAL ITALIC SMALL T
1D462	<i>u</i>	<i>u</i>	<code>u</code>	mathalpha	-uprightstyle	<code>= \mathit{u}</code> , MATHEMATICAL ITALIC SMALL U
1D463	<i>v</i>	<i>v</i>	<code>v</code>	mathalpha	-uprightstyle	<code>= \mathit{v}</code> , MATHEMATICAL ITALIC SMALL V
1D464	<i>w</i>	<i>w</i>	<code>w</code>	mathalpha	-uprightstyle	<code>= \mathit{w}</code> , MATHEMATICAL ITALIC SMALL W
1D465	<i>x</i>	<i>x</i>	<code>x</code>	mathalpha	-uprightstyle	<code>= \mathit{x}</code> , MATHEMATICAL ITALIC SMALL X
1D466	<i>y</i>	<i>y</i>	<code>y</code>	mathalpha	-uprightstyle	<code>= \mathit{y}</code> , MATHEMATICAL ITALIC SMALL Y
1D467	<i>z</i>	<i>z</i>	<code>z</code>	mathalpha	-uprightstyle	<code>= \mathit{z}</code> , MATHEMATICAL ITALIC SMALL Z
1D49C	<i>A</i>	<i>A</i>	<code>\mathcal{A}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL A
1D49E	<i>C</i>	<i>C</i>	<code>\mathcal{C}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL C
1D49F	<i>D</i>	<i>D</i>	<code>\mathcal{D}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL D
1D4A2	<i>G</i>	<i>G</i>	<code>\mathcal{G}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL G
1D4A5	<i>J</i>	<i>J</i>	<code>\mathcal{J}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL J
1D4A6	<i>K</i>	<i>K</i>	<code>\mathcal{K}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL K
1D4A9	<i>N</i>	<i>N</i>	<code>\mathcal{N}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL N
1D4AA	<i>O</i>	<i>O</i>	<code>\mathcal{O}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL O
1D4AB	<i>P</i>	<i>P</i>	<code>\mathcal{P}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL P
1D4AC	<i>Q</i>	<i>Q</i>	<code>\mathcal{Q}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL Q
1D4AE	<i>S</i>	<i>S</i>	<code>\mathcal{S}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL S
1D4AF	<i>T</i>	<i>T</i>	<code>\mathcal{T}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL T
1D4B0	<i>U</i>	<i>U</i>	<code>\mathcal{U}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL U
1D4B1	<i>V</i>	<i>V</i>	<code>\mathcal{V}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL V
1D4B2	<i>W</i>	<i>W</i>	<code>\mathcal{W}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL W
1D4B3	<i>X</i>	<i>X</i>	<code>\mathcal{X}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL X
1D4B4	<i>Y</i>	<i>Y</i>	<code>\mathcal{Y}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL Y
1D4B5	<i>Z</i>	<i>Z</i>	<code>\mathcal{Z}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL Z
1D5A0	A	A	<code>\mathsf{A}</code>	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL A
1D5A1	B	B	<code>\mathsf{B}</code>	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL B
1D5A2	C	C	<code>\mathsf{C}</code>	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL C
1D5A3	D	D	<code>\mathsf{D}</code>	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL D
1D5A4	E	E	<code>\mathsf{E}</code>	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL E
1D5A5	F	F	<code>\mathsf{F}</code>	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL F
1D5A6	G	G	<code>\mathsf{G}</code>	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL G
1D5A7	H	H	<code>\mathsf{H}</code>	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL H
1D5A8	I	I	<code>\mathsf{I}</code>	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL I
1D5A9	J	J	<code>\mathsf{J}</code>	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL J
1D5AA	K	K	<code>\mathsf{K}</code>	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL K
1D5AB	L	L	<code>\mathsf{L}</code>	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL L

No.	Text	Math	Macro	Category	Requirements	Comments
1D5AC	M	M	$\backslash\mathsf{M}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL M
1D5AD	N	N	$\backslash\mathsf{N}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL N
1D5AE	O	O	$\backslash\mathsf{O}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL O
1D5AF	P	P	$\backslash\mathsf{P}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL P
1D5B0	Q	Q	$\backslash\mathsf{Q}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL Q
1D5B1	R	R	$\backslash\mathsf{R}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL R
1D5B2	S	S	$\backslash\mathsf{S}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL S
1D5B3	T	T	$\backslash\mathsf{T}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL T
1D5B4	U	U	$\backslash\mathsf{U}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL U
1D5B5	V	V	$\backslash\mathsf{V}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL V
1D5B6	W	W	$\backslash\mathsf{W}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL W
1D5B7	X	X	$\backslash\mathsf{X}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL X
1D5B8	Y	Y	$\backslash\mathsf{Y}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL Y
1D5B9	Z	Z	$\backslash\mathsf{Z}$	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL Z
1D5BA	a	a	$\backslash\mathsf{a}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL A
1D5BB	b	b	$\backslash\mathsf{b}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL B
1D5BC	c	c	$\backslash\mathsf{c}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL C
1D5BD	d	d	$\backslash\mathsf{d}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL D
1D5BE	e	e	$\backslash\mathsf{e}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL E
1D5BF	f	f	$\backslash\mathsf{f}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL F
1D5C0	g	g	$\backslash\mathsf{g}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL G
1D5C1	h	h	$\backslash\mathsf{h}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL H
1D5C2	i	i	$\backslash\mathsf{i}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL I
1D5C3	j	j	$\backslash\mathsf{j}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL J
1D5C4	k	k	$\backslash\mathsf{k}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL K
1D5C5	l	l	$\backslash\mathsf{l}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL L
1D5C6	m	m	$\backslash\mathsf{m}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL M
1D5C7	n	n	$\backslash\mathsf{n}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL N
1D5C8	o	o	$\backslash\mathsf{o}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL O
1D5C9	p	p	$\backslash\mathsf{p}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL P
1D5CA	q	q	$\backslash\mathsf{q}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL Q
1D5CB	r	r	$\backslash\mathsf{r}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL R
1D5CC	s	s	$\backslash\mathsf{s}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL S
1D5CD	t	t	$\backslash\mathsf{t}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL T
1D5CE	u	u	$\backslash\mathsf{u}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL U
1D5CF	v	v	$\backslash\mathsf{v}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL V
1D5D0	w	w	$\backslash\mathsf{w}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL W
1D5D1	x	x	$\backslash\mathsf{x}$	mathalpha		MATHEMATICAL SANS-SERIF SMALL X

No.	Text	Math	Macro	Category	Requirements	Comments
1D5D2	y	y	<code>\mathsf{y}</code>	mathalpha		MATHEMATICAL SANS-SERIF SMALL Y
1D5D3	z	z	<code>\mathsf{z}</code>	mathalpha		MATHEMATICAL SANS-SERIF SMALL Z
1D670	A	A	<code>\mathhtt{A}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL A
1D671	B	B	<code>\mathhtt{B}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL B
1D672	C	C	<code>\mathhtt{C}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL C
1D673	D	D	<code>\mathhtt{D}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL D
1D674	E	E	<code>\mathhtt{E}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL E
1D675	F	F	<code>\mathhtt{F}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL F
1D676	G	G	<code>\mathhtt{G}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL G
1D677	H	H	<code>\mathhtt{H}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL H
1D678	I	I	<code>\mathhtt{I}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL I
1D679	J	J	<code>\mathhtt{J}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL J
1D67A	K	K	<code>\mathhtt{K}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL K
1D67B	L	L	<code>\mathhtt{L}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL L
1D67C	M	M	<code>\mathhtt{M}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL M
1D67D	N	N	<code>\mathhtt{N}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL N
1D67E	O	O	<code>\mathhtt{O}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL O
1D67F	P	P	<code>\mathhtt{P}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL P
1D680	Q	Q	<code>\mathhtt{Q}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL Q
1D681	R	R	<code>\mathhtt{R}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL R
1D682	S	S	<code>\mathhtt{S}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL S
1D683	T	T	<code>\mathhtt{T}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL T
1D684	U	U	<code>\mathhtt{U}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL U
1D685	V	V	<code>\mathhtt{V}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL V
1D686	W	W	<code>\mathhtt{W}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL W
1D687	X	X	<code>\mathhtt{X}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL X
1D688	Y	Y	<code>\mathhtt{Y}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL Y
1D689	Z	Z	<code>\mathhtt{Z}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL Z
1D68A	a	a	<code>\mathhtt{a}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL A
1D68B	b	b	<code>\mathhtt{b}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL B
1D68C	c	c	<code>\mathhtt{c}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL C
1D68D	d	d	<code>\mathhtt{d}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL D
1D68E	e	e	<code>\mathhtt{e}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL E
1D68F	f	f	<code>\mathhtt{f}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL F
1D690	g	g	<code>\mathhtt{g}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL G
1D691	h	h	<code>\mathhtt{h}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL H
1D692	i	i	<code>\mathhtt{i}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL I
1D693	j	j	<code>\mathhtt{j}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL J

No.	Text	Math	Macro	Category	Requirements	Comments
1D694	k	k	<code>\mathtt{k}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL K
1D695	l	l	<code>\mathtt{l}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL L
1D696	m	m	<code>\mathtt{m}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL M
1D697	n	n	<code>\mathtt{n}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL N
1D698	o	o	<code>\mathtt{o}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL O
1D699	p	p	<code>\mathtt{p}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL P
1D69A	q	q	<code>\mathtt{q}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL Q
1D69B	r	r	<code>\mathtt{r}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL R
1D69C	s	s	<code>\mathtt{s}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL S
1D69D	t	t	<code>\mathtt{t}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL T
1D69E	u	u	<code>\mathtt{u}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL U
1D69F	v	v	<code>\mathtt{v}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL V
1D6A0	w	w	<code>\mathtt{w}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL W
1D6A1	x	x	<code>\mathtt{x}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL X
1D6A2	y	y	<code>\mathtt{y}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL Y
1D6A3	z	z	<code>\mathtt{z}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL Z
1D6A4	<i>ι</i>	<i>ι</i>	<code>\imath</code>	mathalpha		MATHEMATICAL ITALIC SMALL DOTLESS I
1D6A5	<i>j</i>	<i>j</i>	<code>\jmath</code>	mathalpha		MATHEMATICAL ITALIC SMALL DOTLESS J
1D6AA	Γ	Γ	<code>\mathbf{\Gamma}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL GAMMA
1D6AB	Δ	Δ	<code>\mathbf{\Delta}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL DELTA
1D6AF	Θ	Θ	<code>\mathbf{\Theta}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL THETA
1D6B2	Λ	Λ	<code>\mathbf{\Lambda}</code>	mathalpha	-fourier	mathematical bold capital lambda
1D6B5	Ξ	Ξ	<code>\mathbf{\Xi}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL XI
1D6B7	Π	Π	<code>\mathbf{\Pi}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL PI
1D6BA	Σ	Σ	<code>\mathbf{\Sigma}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL SIGMA
1D6BC	Υ	Υ	<code>\mathbf{\Upsilon}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL UPSILON
1D6BD	Φ	Φ	<code>\mathbf{\Phi}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL PHI
1D6BF	Ψ	Ψ	<code>\mathbf{\Psi}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL PSI
1D6C0	Ω	Ω	<code>\mathbf{\Omega}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL OMEGA
1D6E4	<i>Γ</i>	<i>Γ</i>	<code>\Gamma</code>	mathalpha	slantedGreek	= <code>\mathit{\Gamma}</code> (-fourier), = <code>\varGamma</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL GAMMA
1D6E5	<i>Δ</i>	<i>Δ</i>	<code>\Delta</code>	mathalpha	slantedGreek	= <code>\mathit{\Delta}</code> (-fourier), = <code>\varDelta</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL DELTA
1D6E9	<i>Θ</i>	<i>Θ</i>	<code>\Theta</code>	mathalpha	slantedGreek	= <code>\mathit{\Theta}</code> (-fourier), = <code>\varTheta</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL THETA
1D6EC	<i>Λ</i>	<i>Λ</i>	<code>\Lambda</code>	mathalpha	slantedGreek	= <code>\mathit{\Lambda}</code> (-fourier), = <code>\varLambda</code> (amsmath fourier), mathematical italic capital lambda
1D6EF	<i>Ξ</i>	<i>Ξ</i>	<code>\Xi</code>	mathalpha	slantedGreek	= <code>\mathit{\Xi}</code> (-fourier), = <code>\varXi</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL XI

No.	Text	Math	Macro	Category	Requirements	Comments
1D6F1	Π	Π	<code>\Pi</code>	mathalpha	slantedGreek	= <code>\mathit{\Pi}</code> (-fourier), = <code>\varPi</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL PI
1D6F4	Σ	Σ	<code>\Sigma</code>	mathalpha	slantedGreek	= <code>\mathit{\Sigma}</code> (-fourier), = <code>\varSigma</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL SIGMA
1D6F6	Υ	Υ	<code>\Upsilon</code>	mathalpha	slantedGreek	= <code>\mathit{\Upsilon}</code> (-fourier), = <code>\varUpsilon</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL UPSILON
1D6F7	Φ	Φ	<code>\Phi</code>	mathalpha	slantedGreek	= <code>\mathit{\Phi}</code> (-fourier), = <code>\varPhi</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL PHI
1D6F9	Ψ	Ψ	<code>\Psi</code>	mathalpha	slantedGreek	= <code>\mathit{\Psi}</code> (-fourier), = <code>\varPsi</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL PSI
1D6FA	Ω	Ω	<code>\Omega</code>	mathalpha	slantedGreek	= <code>\mathit{\Omega}</code> (-fourier), = <code>\varOmega</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL OMEGA
1D6FC	α	α	<code>\alpha</code>	mathalpha		= <code>\mathit{\alpha}</code> (omlmathit), MATHEMATICAL ITALIC SMALL ALPHA
1D6FD	β	β	<code>\beta</code>	mathalpha		= <code>\mathit{\beta}</code> (omlmathit), MATHEMATICAL ITALIC SMALL BETA
1D6FE	γ	γ	<code>\gamma</code>	mathalpha		= <code>\mathit{\gamma}</code> (omlmathit), MATHEMATICAL ITALIC SMALL GAMMA
1D6FF	δ	δ	<code>\delta</code>	mathalpha		= <code>\mathit{\delta}</code> (omlmathit), MATHEMATICAL ITALIC SMALL DELTA
1D700	ε	ε	<code>\varepsilon</code>	mathalpha		= <code>\mathit{\varepsilon}</code> (omlmathit), MATHEMATICAL ITALIC SMALL EPSILON
1D701	ζ	ζ	<code>\zeta</code>	mathalpha		= <code>\mathit{\zeta}</code> (omlmathit), MATHEMATICAL ITALIC SMALL ZETA
1D702	η	η	<code>\eta</code>	mathalpha		= <code>\mathit{\eta}</code> (omlmathit), MATHEMATICAL ITALIC SMALL ETA
1D703	θ	θ	<code>\theta</code>	mathalpha		= <code>\mathit{\theta}</code> (omlmathit), MATHEMATICAL ITALIC SMALL THETA
1D704	ι	ι	<code>\iota</code>	mathalpha		= <code>\mathit{\iota}</code> (omlmathit), MATHEMATICAL ITALIC SMALL IOTA
1D705	κ	κ	<code>\kappa</code>	mathalpha		= <code>\mathit{\kappa}</code> (omlmathit), MATHEMATICAL ITALIC SMALL KAPPA
1D706	λ	λ	<code>\lambda</code>	mathalpha		= <code>\mathit{\lambda}</code> (omlmathit), mathematical italic small lambda
1D707	μ	μ	<code>\mu</code>	mathalpha		= <code>\mathit{\mu}</code> (omlmathit), MATHEMATICAL ITALIC SMALL MU
1D708	ν	ν	<code>\nu</code>	mathalpha		= <code>\mathit{\nu}</code> (omlmathit), MATHEMATICAL ITALIC SMALL NU
1D709	ξ	ξ	<code>\xi</code>	mathalpha		= <code>\mathit{\xi}</code> (omlmathit), MATHEMATICAL ITALIC SMALL XI
1D70B	π	π	<code>\pi</code>	mathalpha		= <code>\mathit{\pi}</code> (omlmathit), MATHEMATICAL ITALIC SMALL PI
1D70C	ρ	ρ	<code>\rho</code>	mathalpha		= <code>\mathit{\rho}</code> (omlmathit), MATHEMATICAL ITALIC SMALL RHO
1D70D	ς	ς	<code>\varsigma</code>	mathalpha		= <code>\mathit{\varsigma}</code> (omlmathit), MATHEMATICAL ITALIC SMALL FINAL SIGMA
1D70E	σ	σ	<code>\sigma</code>	mathalpha		= <code>\mathit{\sigma}</code> (omlmathit), MATHEMATICAL ITALIC SMALL SIGMA
1D70F	τ	τ	<code>\tau</code>	mathalpha		= <code>\mathit{\tau}</code> (omlmathit), MATHEMATICAL ITALIC SMALL TAU
1D710	υ	υ	<code>\upsilon</code>	mathalpha		= <code>\mathit{\upsilon}</code> (omlmathit), MATHEMATICAL ITALIC SMALL UPSILON
1D711	φ	φ	<code>\varphi</code>	mathalpha		= <code>\mathit{\varphi}</code> (omlmathit), MATHEMATICAL ITALIC SMALL PHI
1D712	χ	χ	<code>\chi</code>	mathalpha		= <code>\mathit{\chi}</code> (omlmathit), MATHEMATICAL ITALIC SMALL CHI
1D713	ψ	ψ	<code>\psi</code>	mathalpha		= <code>\mathit{\psi}</code> (omlmathit), MATHEMATICAL ITALIC SMALL PSI
1D714	ω	ω	<code>\omega</code>	mathalpha		= <code>\mathit{\omega}</code> (omlmathit), MATHEMATICAL ITALIC SMALL OMEGA
1D715	∂	∂	<code>\partial</code>	mathord		= <code>\mathit{\partial}</code> (omlmathit), MATHEMATICAL ITALIC PARTIAL DIFFERENTIAL

No.	Text	Math	Macro	Category	Requirements	Comments
1D716	ϵ	ϵ	<code>\epsilon</code>	mathalpha		= <code>\mathit{\epsilon}</code> (omlmathit), MATHEMATICAL ITALIC EPSILON SYMBOL
1D717	ϑ	ϑ	<code>\vartheta</code>	mathalpha		= <code>\mathit{\vartheta}</code> (omlmathit), MATHEMATICAL ITALIC THETA SYMBOL
1D719	ϕ	ϕ	<code>\phi</code>	mathalpha		= <code>\mathit{\phi}</code> (omlmathit), MATHEMATICAL ITALIC PHI SYMBOL
1D71A	ϱ	ϱ	<code>\varrho</code>	mathalpha		= <code>\mathit{\varrho}</code> (omlmathit), MATHEMATICAL ITALIC RHO SYMBOL
1D71B	ϖ	ϖ	<code>\varpi</code>	mathalpha		= <code>\mathit{\varpi}</code> (omlmathit), MATHEMATICAL ITALIC PI SYMBOL
1D7CE	0	0	<code>\mathbf{0}</code>	mathord		mathematical bold digit 0
1D7CF	1	1	<code>\mathbf{1}</code>	mathord		mathematical bold digit 1
1D7D0	2	2	<code>\mathbf{2}</code>	mathord		mathematical bold digit 2
1D7D1	3	3	<code>\mathbf{3}</code>	mathord		mathematical bold digit 3
1D7D2	4	4	<code>\mathbf{4}</code>	mathord		mathematical bold digit 4
1D7D3	5	5	<code>\mathbf{5}</code>	mathord		mathematical bold digit 5
1D7D4	6	6	<code>\mathbf{6}</code>	mathord		mathematical bold digit 6
1D7D5	7	7	<code>\mathbf{7}</code>	mathord		mathematical bold digit 7
1D7D6	8	8	<code>\mathbf{8}</code>	mathord		mathematical bold digit 8
1D7D7	9	9	<code>\mathbf{9}</code>	mathord		mathematical bold digit 9
1D7E2	0	0	<code>\mathsf{0}</code>	mathord		mathematical sans-serif digit 0
1D7E3	1	1	<code>\mathsf{1}</code>	mathord		mathematical sans-serif digit 1
1D7E4	2	2	<code>\mathsf{2}</code>	mathord		mathematical sans-serif digit 2
1D7E5	3	3	<code>\mathsf{3}</code>	mathord		mathematical sans-serif digit 3
1D7E6	4	4	<code>\mathsf{4}</code>	mathord		mathematical sans-serif digit 4
1D7E7	5	5	<code>\mathsf{5}</code>	mathord		mathematical sans-serif digit 5
1D7E8	6	6	<code>\mathsf{6}</code>	mathord		mathematical sans-serif digit 6
1D7E9	7	7	<code>\mathsf{7}</code>	mathord		mathematical sans-serif digit 7
1D7EA	8	8	<code>\mathsf{8}</code>	mathord		mathematical sans-serif digit 8
1D7EB	9	9	<code>\mathsf{9}</code>	mathord		mathematical sans-serif digit 9
1D7F6	0	0	<code>\mathhtt{0}</code>	mathord		mathematical monospace digit 0
1D7F7	1	1	<code>\mathhtt{1}</code>	mathord		mathematical monospace digit 1
1D7F8	2	2	<code>\mathhtt{2}</code>	mathord		mathematical monospace digit 2
1D7F9	3	3	<code>\mathhtt{3}</code>	mathord		mathematical monospace digit 3
1D7FA	4	4	<code>\mathhtt{4}</code>	mathord		mathematical monospace digit 4
1D7FB	5	5	<code>\mathhtt{5}</code>	mathord		mathematical monospace digit 5
1D7FC	6	6	<code>\mathhtt{6}</code>	mathord		mathematical monospace digit 6
1D7FD	7	7	<code>\mathhtt{7}</code>	mathord		mathematical monospace digit 7
1D7FE	8	8	<code>\mathhtt{8}</code>	mathord		mathematical monospace digit 8
1D7FF	9	9	<code>\mathhtt{9}</code>	mathord		mathematical monospace digit 9