

Math symbols defined by LaTeX package «txfonts»

No.	Text	Math	Macro	Category	Requirements	Comments
00021	!	!	!	mathpunct		EXCLAMATION MARK
00023	#	#	\#	mathord		NUMBER SIGN
00024	\$	\$	\\$	mathord		= \mathdollar, DOLLAR SIGN
00025	%	%	\%	mathord		PERCENT SIGN
00026	&	&	\&	mathord		# \binampersand (stmaryrd)
00028	(((mathopen		LEFT PARENTHESIS
00029)))	mathclose		RIGHT PARENTHESIS
0002A	*	*	*	mathord		# \ast, (high) ASTERISK, star
0002B	+	+	+	mathbin		PLUS SIGN
0002C	,	,	,	mathpunct		COMMA
0002E	.	.	.	mathalpha		FULL STOP, period
0002F	/	/	/	mathord		# \slash, SOLIDUS
00030	0	0	0	mathord		DIGIT ZERO
00031	1	1	1	mathord		DIGIT ONE
00032	2	2	2	mathord		DIGIT TWO
00033	3	3	3	mathord		DIGIT THREE
00034	4	4	4	mathord		DIGIT FOUR
00035	5	5	5	mathord		DIGIT FIVE
00036	6	6	6	mathord		DIGIT SIX
00037	7	7	7	mathord		DIGIT SEVEN
00038	8	8	8	mathord		DIGIT EIGHT
00039	9	9	9	mathord		DIGIT NINE
0003A	:	:	\colon	mathpunct		x :, COLON (not ratio)
0003B	;	;	;	mathpunct		SEMICOLON p:
0003C	<	<	<	mathrel		LESS-THAN SIGN r:
0003D	=	=	=	mathrel		EQUALS SIGN r:
0003E	>	>	>	mathrel		GREATER-THAN SIGN r:
0003F	?	?	?	mathord		QUESTION MARK
00040	@	@	@	mathord		at
00041	A	A	A	mathalpha	-literal	= \mathrm{A}, LATIN CAPITAL LETTER A
00042	B	B	B	mathalpha	-literal	= \mathrm{B}, LATIN CAPITAL LETTER B
00043	C	C	C	mathalpha	-literal	= \mathrm{C}, LATIN CAPITAL LETTER C
00044	D	D	D	mathalpha	-literal	= \mathrm{D}, LATIN CAPITAL LETTER D
00045	E	E	E	mathalpha	-literal	= \mathrm{E}, LATIN CAPITAL LETTER E
00046	F	F	F	mathalpha	-literal	= \mathrm{F}, LATIN CAPITAL LETTER F
00047	G	G	G	mathalpha	-literal	= \mathrm{G}, LATIN CAPITAL LETTER G

No.	Text	Math	Macro	Category	Requirements	Comments
00048	H	<i>H</i>	H	mathalpha	-literal	= H , LATIN CAPITAL LETTER H
00049	I	<i>I</i>	I	mathalpha	-literal	= I , LATIN CAPITAL LETTER I
0004A	J	<i>J</i>	J	mathalpha	-literal	= J , LATIN CAPITAL LETTER J
0004B	K	<i>K</i>	K	mathalpha	-literal	= K , LATIN CAPITAL LETTER K
0004C	L	<i>L</i>	L	mathalpha	-literal	= L , LATIN CAPITAL LETTER L
0004D	M	<i>M</i>	M	mathalpha	-literal	= M , LATIN CAPITAL LETTER M
0004E	N	<i>N</i>	N	mathalpha	-literal	= N , LATIN CAPITAL LETTER N
0004F	O	<i>O</i>	O	mathalpha	-literal	= O , LATIN CAPITAL LETTER O
00050	P	<i>P</i>	P	mathalpha	-literal	= P , LATIN CAPITAL LETTER P
00051	Q	<i>Q</i>	Q	mathalpha	-literal	= Q , LATIN CAPITAL LETTER Q
00052	R	<i>R</i>	R	mathalpha	-literal	= R , LATIN CAPITAL LETTER R
00053	S	<i>S</i>	S	mathalpha	-literal	= S , LATIN CAPITAL LETTER S
00054	T	<i>T</i>	T	mathalpha	-literal	= T , LATIN CAPITAL LETTER T
00055	U	<i>U</i>	U	mathalpha	-literal	= U , LATIN CAPITAL LETTER U
00056	V	<i>V</i>	V	mathalpha	-literal	= V , LATIN CAPITAL LETTER V
00057	W	<i>W</i>	W	mathalpha	-literal	= W , LATIN CAPITAL LETTER W
00058	X	<i>X</i>	X	mathalpha	-literal	= X , LATIN CAPITAL LETTER X
00059	Y	<i>Y</i>	Y	mathalpha	-literal	= Y , LATIN CAPITAL LETTER Y
0005A	Z	<i>Z</i>	Z	mathalpha	-literal	= Z , LATIN CAPITAL LETTER Z
0005B	[[<code>\lbrack</code>	mathopen		LEFT SQUARE BRACKET
0005C	\	\	<code>\backslash</code>	mathord		REVERSE SOLIDUS
0005D]]	<code>\rbrack</code>	mathclose		RIGHT SQUARE BRACKET
0005F	_	_	<code>_</code>	mathord		LOW LINE, TeX subscript operator
00061	a	<i>a</i>	a	mathalpha	-literal	= a , LATIN SMALL LETTER A
00062	b	<i>b</i>	b	mathalpha	-literal	= b , LATIN SMALL LETTER B
00063	c	<i>c</i>	c	mathalpha	-literal	= c , LATIN SMALL LETTER C
00064	d	<i>d</i>	d	mathalpha	-literal	= d , LATIN SMALL LETTER D
00065	e	<i>e</i>	e	mathalpha	-literal	= e , LATIN SMALL LETTER E
00066	f	<i>f</i>	f	mathalpha	-literal	= f , LATIN SMALL LETTER F
00067	g	<i>g</i>	g	mathalpha	-literal	= g , LATIN SMALL LETTER G
00068	h	<i>h</i>	h	mathalpha	-literal	= h , LATIN SMALL LETTER H
00069	i	<i>i</i>	i	mathalpha	-literal	= i , LATIN SMALL LETTER I
0006A	j	<i>j</i>	j	mathalpha	-literal	= j , LATIN SMALL LETTER J
0006B	k	<i>k</i>	k	mathalpha	-literal	= k , LATIN SMALL LETTER K
0006C	l	<i>l</i>	l	mathalpha	-literal	= l , LATIN SMALL LETTER L
0006D	m	<i>m</i>	m	mathalpha	-literal	= m , LATIN SMALL LETTER M
0006E	n	<i>n</i>	n	mathalpha	-literal	= n , LATIN SMALL LETTER N
0006F	o	<i>o</i>	o	mathalpha	-literal	= o , LATIN SMALL LETTER O

No.	Text	Math	Macro	Category	Requirements	Comments
00070	p	p	<code>p</code>	mathalpha	-literal	= <code>\mathrm{p}</code> , LATIN SMALL LETTER P
00071	q	q	<code>q</code>	mathalpha	-literal	= <code>\mathrm{q}</code> , LATIN SMALL LETTER Q
00072	r	r	<code>r</code>	mathalpha	-literal	= <code>\mathrm{r}</code> , LATIN SMALL LETTER R
00073	s	s	<code>s</code>	mathalpha	-literal	= <code>\mathrm{s}</code> , LATIN SMALL LETTER S
00074	t	t	<code>t</code>	mathalpha	-literal	= <code>\mathrm{t}</code> , LATIN SMALL LETTER T
00075	u	u	<code>u</code>	mathalpha	-literal	= <code>\mathrm{u}</code> , LATIN SMALL LETTER U
00076	v	v	<code>v</code>	mathalpha	-literal	= <code>\mathrm{v}</code> , LATIN SMALL LETTER V
00077	w	w	<code>w</code>	mathalpha	-literal	= <code>\mathrm{w}</code> , LATIN SMALL LETTER W
00078	x	x	<code>x</code>	mathalpha	-literal	= <code>\mathrm{x}</code> , LATIN SMALL LETTER X
00079	y	y	<code>y</code>	mathalpha	-literal	= <code>\mathrm{y}</code> , LATIN SMALL LETTER Y
0007A	z	z	<code>z</code>	mathalpha	-literal	= <code>\mathrm{z}</code> , LATIN SMALL LETTER Z
0007B	{	{	<code>\{</code>	mathopen		= <code>\lbrace</code> , LEFT CURLY BRACKET
0007C			<code> </code>	mathfence		= <code>\vert</code> , vertical bar
0007D	}	}	<code>\}</code>	mathclose		= <code>\rbrace</code> , RIGHT CURLY BRACKET
0007E	~	(~)	<code>\sptilde</code>	mathord	amxtra	# <code>\sim</code> , TILDE
000A0			<code>~</code>			nbsp
000A2	¢	¢	<code>\cent</code>	mathord	wasysym	= <code>\mathcent</code> (txfonts), cent
000A3	£	£	<code>\pounds</code>	mathord	-fourier -omlmathit	= <code>\mathsterling</code> (txfonts), POUND SIGN, fourier prints a dollar sign
000AC	¬	¬	<code>\neg</code>	mathord		= <code>\not</code> , NOT SIGN
000B1	±	±	<code>\pm</code>	mathbin		plus-or-minus sign
000B7	·	(·)	<code>(·)</code>	mathbin		# <code>\cdot</code> , x <code>\centerdot</code> , b: MIDDLE DOT
000D7	×	×	<code>\times</code>	mathbin		MULTIPLICATION SIGN, z notation Cartesian product
000F0	÷	÷	<code>\eth</code>	mathalpha	amssymb arevmath	eth
000F7	÷	÷	<code>\div</code>	mathbin		divide sign
00131	ı	ı	<code>\imath</code>	mathalpha	-literal	<code>imath</code>
00237	Ƶ	Ƶ	<code>\jmath</code>	mathalpha	-literal	<code>jmath</code>
00300	˘	˘	<code>\grave</code>	mathaccent		grave accent
00301	˙	˙	<code>\acute</code>	mathaccent		acute accent
00302	ˆ	ˆ	<code>\hat</code>	mathaccent		# <code>\widehat</code> (amssymb), circumflex accent
00303	˜	˜	<code>\tilde</code>	mathaccent		# <code>\widetilde</code> (yhmath, fourier), tilde
00304	¯	¯	<code>\bar</code>	mathaccent		macron
00305	̄	̄	<code>\overline</code>	mathaccent		overbar embellishment
00306	˘	˘	<code>\breve</code>	mathaccent		breve
00307	˙	˙	<code>\dot</code>	mathaccent	-oz	= <code>\Dot</code> (wrisym), dot above
00308	¨	¨	<code>\ddot</code>	mathaccent		= <code>\DDot</code> (wrisym), dieresis
0030A	ˆ	ˆ	<code>\mathring</code>	mathaccent	amssymb	= <code>\ring</code> (yhmath), ring
0030C	ˇ	ˇ	<code>\check</code>	mathaccent		caron
00331	̵	̵	<code>\underbar</code>	mathaccent		COMBINING MACRON BELOW

No.	Text	Math	Macro	Category	Requirements	Comments
00332	\underline{x}	\underline{x}	<code>\underline</code>	mathaccent		COMBINING LOW LINE
00338	\cancel{x}	\cancel{x}	<code>\not</code>	mathaccent		COMBINING LONG SOLIDUS OVERLAY
00393	Γ	Γ	<code>\Gamma</code>	mathalpha	-literal	= <code>\Gamma</code> (-slantedGreek), = <code>\mathrm{\Gamma}</code> , capital gamma, greek
00394	Δ	Δ	<code>\Delta</code>	mathalpha	-literal	= <code>\Delta</code> (-slantedGreek), = <code>\mathrm{\Delta}</code> , capital delta, greek
00398	Θ	Θ	<code>\Theta</code>	mathalpha	-literal	= <code>\Theta</code> (-slantedGreek), = <code>\mathrm{\Theta}</code> , capital theta, greek
0039B	Λ	Λ	<code>\Lambda</code>	mathalpha	-literal	= <code>\Lambda</code> (-slantedGreek), = <code>\mathrm{\Lambda}</code> , capital lambda, greek
0039E	Ξ	Ξ	<code>\Xi</code>	mathalpha	-literal	= <code>\Xi</code> (-slantedGreek), = <code>\mathrm{\Xi}</code> , capital xi, greek
003A0	Π	Π	<code>\Pi</code>	mathalpha	-literal	= <code>\Pi</code> (-slantedGreek), = <code>\mathrm{\Pi}</code> , capital pi, greek
003A3	Σ	Σ	<code>\Sigma</code>	mathalpha	-literal	= <code>\Sigma</code> (-slantedGreek), = <code>\mathrm{\Sigma}</code> , capital sigma, greek
003A5	Υ	Υ	<code>\Upsilon</code>	mathalpha	-literal	= <code>\Upsilon</code> (-slantedGreek), = <code>\mathrm{\Upsilon}</code> , capital upsilon, greek
003A6	Φ	Φ	<code>\Phi</code>	mathalpha	-literal	= <code>\Phi</code> (-slantedGreek), = <code>\mathrm{\Phi}</code> , capital phi, greek
003A8	Ψ	Ψ	<code>\Psi</code>	mathalpha	-literal	= <code>\Psi</code> (-slantedGreek), = <code>\mathrm{\Psi}</code> , capital psi, greek
003A9	Ω	Ω	<code>\Omega</code>	mathalpha	-literal	= <code>\Omega</code> (-slantedGreek), = <code>\mathrm{\Omega}</code> , capital omega, greek
003B1	α	α	<code>\alpha</code>	mathalpha	-literal	= <code>\mathrm{\alpha}</code> (omlmathrm), = <code>\alphaup</code> (kpfonts mathdesign), = <code>\upalpha</code> (upgreek), alpha, greek
003B2	β	β	<code>\beta</code>	mathalpha	-literal	= <code>\mathrm{\beta}</code> (omlmathrm), = <code>\betaup</code> (kpfonts mathdesign), = <code>\upbeta</code> (upgreek), beta, greek
003B3	γ	γ	<code>\gamma</code>	mathalpha	-literal	= <code>\mathrm{\gamma}</code> (omlmathrm), = <code>\gammaup</code> (kpfonts mathdesign), = <code>\upgamma</code> (upgreek), gamma, greek
003B4	δ	δ	<code>\delta</code>	mathalpha	-literal	= <code>\mathrm{\delta}</code> (omlmathrm), = <code>\deltaup</code> (kpfonts mathdesign), = <code>\updelta</code> (upgreek), delta, greek
003B5	ε	ε	<code>\varepsilon</code>	mathalpha	-literal	= <code>\mathrm{\varepsilon}</code> (omlmathrm), = <code>\varepsilonup</code> (kpfonts mathdesign), = <code>\upepsilon</code> (upgreek), rounded epsilon, greek
003B6	ζ	ζ	<code>\zeta</code>	mathalpha	-literal	= <code>\mathrm{\zeta}</code> (omlmathrm), = <code>\zetaup</code> (kpfonts mathdesign), = <code>\upzeta</code> (upgreek), zeta, greek
003B7	η	η	<code>\eta</code>	mathalpha	-literal	= <code>\mathrm{\eta}</code> (omlmathrm), = <code>\etaup</code> (kpfonts mathdesign), = <code>\upeta</code> (upgreek), eta, greek
003B8	θ	θ	<code>\theta</code>	mathalpha	-literal	= <code>\mathrm{\theta}</code> (omlmathrm), = <code>\thetaup</code> (kpfonts mathdesign), straight theta, = <code>\uptheta</code> (upgreek), theta, greek
003B9	ι	ι	<code>\iota</code>	mathalpha	-literal	= <code>\mathrm{\iota}</code> (omlmathrm), = <code>\iotaup</code> (kpfonts mathdesign), = <code>\upiota</code> (upgreek), iota, greek
003BA	κ	κ	<code>\kappa</code>	mathalpha	-literal	= <code>\mathrm{\kappa}</code> (omlmathrm), = <code>\kappaup</code> (kpfonts mathdesign), = <code>\upkappa</code> (upgreek), kappa, greek
003BB	λ	λ	<code>\lambda</code>	mathalpha	-literal	= <code>\mathrm{\lambda}</code> (omlmathrm), = <code>\lambdaup</code> (kpfonts mathdesign), = <code>\uplambda</code> (upgreek), lambda, greek
003BC	μ	μ	<code>\mu</code>	mathalpha	-literal	= <code>\mathrm{\mu}</code> (omlmathrm), = <code>\muup</code> (kpfonts mathdesign), = <code>\upmu</code> (upgreek), mu, greek
003BD	ν	ν	<code>\nu</code>	mathalpha	-literal	= <code>\mathrm{\nu}</code> (omlmathrm), = <code>\nuup</code> (kpfonts mathdesign), = <code>\upnu</code> (upgreek), nu, greek

No.	Text	Math	Macro	Category	Requirements	Comments
003BE	ξ	ξ	\xi	mathalpha	-literal	= \mathrm{\xi} (omlmathrm), = \xiup (kpfonts mathdesign), = \upxi (upgreek), xi, greek
003C0	π	π	\pi	mathalpha	-literal	= \mathrm{\pi} (omlmathrm), = \piup (kpfonts mathdesign), = \uppi (upgreek), pi, greek
003C1	ρ	ρ	\rho	mathalpha	-literal	= \mathrm{\rho} (omlmathrm), = \rhoup (kpfonts mathdesign), = \uprho (upgreek), rho, greek
003C2	ς	ς	\varsigma	mathalpha	-literal	= \mathrm{\varsigma} (omlmathrm), = \varsigmaup (kpfonts mathdesign), = \upvarsigma (upgreek), terminal sigma, greek
003C3	σ	σ	\sigma	mathalpha	-literal	= \mathrm{\sigma} (omlmathrm), = \sigmaup (kpfonts mathdesign), = \upsigma (upgreek), sigma, greek
003C4	τ	τ	\tau	mathalpha	-literal	= \mathrm{\tau} (omlmathrm), = \tauup (kpfonts mathdesign), = \uptau (upgreek), tau, greek
003C5	υ	υ	\upsilon	mathalpha	-literal	= \mathrm{\upsilon} (omlmathrm), = \upsilonup (kpfonts mathdesign), = \upupsilon (upgreek), upsilon, greek
003C6	φ	φ	\varphi	mathalpha	-literal	= \mathrm{\varphi} (omlmathrm), = \varphiup (kpfonts mathdesign), = \upvarphi (upgreek), curly or open phi, greek
003C7	χ	χ	\chi	mathalpha	-literal	= \mathrm{\chi} (omlmathrm), = \chiup (kpfonts mathdesign), = \upchi (upgreek), chi, greek
003C8	ψ	ψ	\psi	mathalpha	-literal	= \mathrm{\psi} (omlmathrm), = \psiup (kpfonts mathdesign), = \uppsi (upgreek), psi, greek
003C9	ω	ω	\omega	mathalpha	-literal	= \mathrm{\omega} (omlmathrm), = \omegaup (kpfonts mathdesign), = \upomega (upgreek), omega, greek
003D1	ϑ	ϑ	\vartheta	mathalpha	-literal	= \mathrm{\vartheta} (omlmathrm), = \varthetaup (kpfonts mathdesign), curly or open theta
003D2	Υ	(Υ)		mathalpha		# \mathrm{\Upsilon}, GREEK UPSILON WITH HOOK SYMBOL
003D5	φ	φ	\phi	mathalpha	-literal	= \mathrm{\phi} (omlmathrm), = \phiup (kpfonts mathdesign), GREEK PHI SYMBOL (straight)
003D6	ϖ	ϖ	\varpi	mathalpha	-literal	= \mathrm{\varpi} (omlmathrm), = \varpiup (kpfonts mathdesign), GREEK PI SYMBOL (pomega)
003DC	Ɔ	Ɔ	\digamma	mathalpha	amssymb -wrisym	= \Digamma (wrisym), capital digamma
003F6	ε	ε	\backepsilon	mathord	amssymb wrisym	GREEK REVERSED LUNATE EPSILON SYMBOL
02001	∥		\quad			emquad
0200B		()				# \hspace{0pt}, zwsp
02016	∥	∥	\	mathfence		= \Vert, double vertical bar
02020	†	†	\dagger	mathbin		DAGGER relation
02021	‡	‡	\ddagger	mathbin		DOUBLE DAGGER relation
02022	●	(●)		mathbin		# \bullet, b: round BULLET, filled
02026	\ldots	mathord		ellipsis (horizontal)
02032	′	′	\prime	mathord		PRIME or minute, not superscripted
02035	∖	∖	\backprime	mathord	amssymb	reverse prime, not superscripted

No.	Text	Math	Macro	Category	Requirements	Comments
0203C	!!	(!!)		mathord		# !!, DOUBLE EXCLAMATION MARK
02044	/	(/)		mathbin		# /, FRACTION SLASH
02047	??	(??)		mathord		# ??, DOUBLE QUESTION MARK
0204E	*	(*)		mathbin		# \ast, lowast, LOW ASTERISK
02052	/.	(./.)		mathord		# ./., COMMERCIAL MINUS SIGN
0205F			\:			= \medspace (amsmath), MEDIUM MATHEMATICAL SPACE, four-eighteenths of an em
020D6	\bar{x}	(\bar{x})	\LVec	mathaccent	wrisym	# \overleftarrow, COMBINING LEFT ARROW ABOVE
020D7	\vec{x}	(\vec{x})	\vec	mathaccent	-wrisym	= \Vec (wrisym), # \overrightarrow, COMBINING RIGHT ARROW ABOVE
02102	\mathbb{C}	\mathbb{C}	\mathbb{C}	mathalpha	mathbb	= \mathds{C} (dsfont), open face C
0210B	\mathcal{H}	\mathcal{H}	\mathcal{H}	mathalpha		hamiltonian (script capital H)
0210C	\mathfrak{H}	\mathfrak{H}	\mathfrak{H}	mathalpha	eufrak	/frac H, black-letter capital H
0210D	\mathbb{H}	\mathbb{H}	\mathbb{H}	mathalpha	mathbb	= \mathds{H} (dsfont), open face capital H
0210E	h	(h)		mathord		# h, Planck constant
0210F	\hbar	(\hbar)	\hslash	mathalpha	amssymb arevmath	fourier =HBar (wrisym), Planck's h over 2pi
02110	\mathcal{I}	\mathcal{I}	\mathcal{I}	mathalpha		/scr I, script capital I
02111	\Im	(\Im)	\Im	mathalpha		= \mathfrak{I} (eufrak), imaginary part
02112	\mathcal{L}	\mathcal{L}	\mathcal{L}	mathalpha		lagrangian (script capital L)
02113	ℓ	(ℓ)	\ell	mathalpha		cursive small l
02115	\mathbb{N}	\mathbb{N}	\mathbb{N}	mathalpha	mathbb	= \mathds{N} (dsfont), open face N
02118	\wp	(\wp)	\wp	mathalpha	amssymb	weierstrass p
02119	\mathbb{P}	\mathbb{P}	\mathbb{P}	mathalpha	mathbb	= \mathds{P} (dsfont), open face P
0211A	\mathbb{Q}	\mathbb{Q}	\mathbb{Q}	mathalpha	mathbb	= \mathds{Q} (dsfont), open face Q
0211B	\mathcal{R}	\mathcal{R}	\mathcal{R}	mathalpha		/scr R, script capital R
0211C	\Re	(\Re)	\Re	mathalpha		= \mathfrak{R} (eufrak), real part
0211D	\mathbb{R}	\mathbb{R}	\mathbb{R}	mathalpha	mathbb	= \mathds{R} (dsfont), open face R
02124	\mathbb{Z}	\mathbb{Z}	\mathbb{Z}	mathalpha	mathbb	= \mathds{Z} (dsfont), open face Z
02126	Ω	(Ω)	\tcohm	mathalpha	mathcomp	# \mathrm{\Omega}, ohm (deprecated in math, use greek letter)
02127	\mathfrak{U}	(\mathfrak{U})	\mho	mathord	amssymb arevmath	= \Mho (wrisym), t \agemO (wasysym), conductance
02128	\mathfrak{Z}	(\mathfrak{Z})	\mathfrak{Z}	mathalpha	eufrak	/frac Z, black-letter capital Z
0212B	\AA	(\AA)	\Angstroem	mathalpha	wrisym	# \mathring{\mathrm{A}}, Ångström capital A with ring
0212C	\mathcal{B}	\mathcal{B}	\mathcal{B}	mathalpha		bernoulli function (script capital B)
0212D	\mathfrak{C}	(\mathfrak{C})	\mathfrak{C}	mathalpha	eufrak	black-letter capital C
02130	\mathcal{E}	\mathcal{E}	\mathcal{E}	mathalpha		/scr E, script capital E
02131	\mathcal{F}	\mathcal{F}	\mathcal{F}	mathalpha		/scr F, script capital F
02132	$\text{\textcircled{F}}$	($\text{\textcircled{F}}$)	\Finv	mathord	amssymb	TURNED CAPITAL F
02133	\mathcal{M}	\mathcal{M}	\mathcal{M}	mathalpha		physics m-matrix (SCRIPT CAPITAL M)

No.	Text	Math	Macro	Category	Requirements	Comments
02135	א	א	\aleph	mathalpha		aleph, hebrew
02136	ב	ב	\beth	mathalpha	amssymb wrisym	beth, hebrew
02137	ג	ג	\gimel	mathalpha	amssymb wrisym	gimel, hebrew
02138	ד	ד	\daleth	mathalpha	amssymb wrisym	daleth, hebrew
02141	⊖	⊖		mathord		# \Game (amssymb), TURNED SANS-SERIF CAPITAL G (amssymb has mirrored G)
0214B	⌘	⌘	\invamp	mathbin	txfonts	# \bindnasrepma (stmaryrd), TURNED AMPERSAND
02190	←	←	\leftarrow	mathrel		= \gets, a: leftward arrow
02191	↑	↑	\uparrow	mathrel		upward arrow
02192	→	→	\rightarrow	mathrel		= \to, = \fun (oz), = \fun (oz), rightward arrow, z notation total function
02193	↓	↓	\downarrow	mathrel		downward arrow
02194	↔	↔	\leftrightarrow	mathrel	-wrisym	= \rel (oz), LEFT RIGHT ARROW, z notation relation
02195	↕	↕	\updownarrow	mathrel		up and down arrow
02196	↖	↖	\nwarrow	mathrel	amssymb	nw pointing arrow
02197	↗	↗	\nearrow	mathrel		ne pointing arrow
02198	↘	↘	\searrow	mathrel		se pointing arrow
02199	↙	↙	\swarrow	mathrel		sw pointing arrow
0219A	↚	↚	\nleftarrow	mathrel	amssymb	not left arrow
0219B	↛	↛	\nrightarrow	mathrel	amssymb	not right arrow
0219E	↔	↔	\twoheadleftarrow	mathrel	amssymb	left two-headed arrow
021A0	↔	↔	\twoheadrightarrow	mathrel	amssymb	= \tsur (oz), = \surj (oz), right two-headed arrow, z notation total surjection
021A2	↵	↵	\leftarrowtail	mathrel	amssymb	left arrow-tailed
021A3	↶	↶	\rightarrowtail	mathrel	amssymb	= \tinj (oz), = \inj (oz), right arrow-tailed, z notation total injection
021A6	↷	↷	\mapsto	mathrel		maps to, rightward, z notation maplet
021A9	↪	↪	\hookrightarrow	mathrel		left arrow-hooked
021AA	↩	↩	\hookrightarrow	mathrel		right arrow-hooked
021AB	↻	↻	\looparrowleft	mathrel	amssymb	left arrow-looped
021AC	↻	↻	\looparrowright	mathrel	amssymb	right arrow-looped
021AD	↻	↻	\leftrightsquigarrow	mathrel	amssymb	left and right arr-wavy
021AE	↻	↻	\nletrightarrow	mathrel	amssymb	not left and right arrow
021B0	↶	↶	\Lsh	mathrel	amssymb	a: UPWARDS ARROW WITH TIP LEFTWARDS
021B1	↷	↷	\Rsh	mathrel	amssymb	a: UPWARDS ARROW WITH TIP RIGHTWARDS
021B6	↷	↷	\curvearrowleft	mathrel	amssymb fourier	left curved arrow
021B7	↶	↶	\curvearrowright	mathrel	amssymb fourier	right curved arrow
021BA	↺	↺	\circlearrowleft	mathord	amssymb	= \leftturn (wasysym), ANTICLOCKWISE OPEN CIRCLE ARROW
021BB	↻	↻	\circlearrowright	mathord	amssymb	= \rightturn (wasysym), CLOCKWISE OPEN CIRCLE ARROW
021BC	↵	↵	\leftharpoonup	mathrel		left harpoon-up
021BD	↵	↵	\leftharpoondown	mathrel		left harpoon-down
021BE	↵	↵	\upharpoonright	mathrel	amssymb	= \restriction (amssymb), = \upharpoonrightup (wrisym), a: up harpoon-right

No.	Text	Math	Macro	Category	Requirements	Comments
021BF	↑	↑	\upharpoonleft	mathrel	amssymb	= \upharpoonleftup (wrisym), up harpoon-left
021C0	→	→	\rightharpoonup	mathrel		right harpoon-up
021C1	→	→	\rightharpoondown	mathrel		right harpoon-down
021C2	↓	↓	\downharpoonright	mathrel	amssymb	= \upharpoonrightdown (wrisym), down harpoon-right
021C3	↓	↓	\downharpoonleft	mathrel	amssymb	= \upharpoonleftdown (wrisym), down harpoon-left
021C4	⇔	⇔	\rightleftarrows	mathrel	amssymb	= \rightleftarrow (wrisym), right arrow over left arrow
021C6	⇔	⇔	\leftrightharpoons	mathrel	amssymb	= \leftrightharpoon (wrisym), left arrow over right arrow
021C7	⇐	⇐	\leftleftarrows	mathrel	amssymb fourier	two left arrows
021C8	⇑	⇑	\upuparrows	mathrel	amssymb	two up arrows
021C9	⇒	⇒	\rightrightarrows	mathrel	amssymb fourier	two right arrows
021CA	⇓	⇓	\downdownarrows	mathrel	amssymb	two down arrows
021CB	⇌	⇌	\leftrightharpoons	mathrel	amssymb	= \revequilibrium (wrisym), left harpoon over right
021CC	⇐	⇐	\rightleftharpoons	mathrel		= \equilibrium (wrisym), right harpoon over left
021CD	⇏	⇏	\nLeftarrow	mathrel	amssymb	not implied by
021CE	⇏	⇏	\nLeftrightarrow	mathrel	amssymb	not left and right double arrows
021CF	⇏	⇏	\nRightarrow	mathrel	amssymb	not implies
021D0	⇐	⇐	\Leftarrow	mathrel		left double arrow
021D1	⇑	⇑	\Uparrow	mathrel		up double arrow
021D2	⇒	⇒	\Rightarrow	mathrel	-marvosym	right double arrow
021D3	⇓	⇓	\Downarrow	mathrel		down double arrow
021D4	⇔	⇔	\Leftrightarrow	mathrel		left and right double arrow
021D5	⇕	⇕	\Updownarrow	mathrel		up and down double arrow
021D6	↖	↖	\Nwarrow	mathrel	txfonts	nw pointing double arrow
021D7	↗	↗	\Nearrow	mathrel	txfonts	ne pointing double arrow
021D8	↘	↘	\Searrow	mathrel	txfonts	se pointing double arrow
021D9	↙	↙	\Swarrow	mathrel	txfonts	sw pointing double arrow
021DA	⇐⇐	⇐⇐	\Lleftarrow	mathrel	amssymb	left triple arrow
021DB	⇒⇒	⇒⇒	\Rrightarrow	mathrel	amssymb	right triple arrow
021DC	↔	↔	\leftsquigarrow	mathrel	mathabx txfonts	LEFTWARDS SQUIGGLE ARROW
021DD	↔	↔	\rightsquigarrow	mathrel	amssymb	RIGHTWARDS SQUIGGLE ARROW
021E0	↔	↔	\dashleftarrow	mathord	amsfonts	LEFTWARDS DASHED ARROW
021E2	↔	↔	\dashrightarrow	mathord	amsfonts	= \dasharrow (amsfonts), RIGHTWARDS DASHED ARROW
02200	∀	∀	\forall	mathord		FOR ALL
02201	∁	∁	\complement	mathord	amssymb fourier	COMPLEMENT sign
02202	∂	(∂)	\partial	mathord	kpfonts	# \partial, PARTIAL DIFFERENTIAL
02203	∃	∃	\exists	mathord		= \exi (oz), at least one exists
02204	∄	∄	\nexists	mathord	amssymb fourier	= \nexi (oz), negated exists
02205	∅	∅	\varnothing	mathord	amssymb	circle, slash

No.	Text	Math	Macro	Category	Requirements	Comments
02206	Δ	(Δ)		mathord		# <code>\mathrm{\Delta}</code> , laplacian (Delta; nabla square)
02207	∇	∇	<code>\nabla</code>	mathord		NABLA, del, hamilton operator
02208	\in	\in	<code>\in</code>	mathrel		set membership, variant
02209	\notin	\notin	<code>\notin</code>	mathrel		= <code>\nin</code> (wrisym), negated set membership
0220B	\ni	\ni	<code>\ni</code>	mathrel		= <code>\owns</code> , contains, variant
0220C	$\not\ni$	$\not\ni$	<code>\nni</code>	mathrel	wrisym	= <code>\notni</code> (txfonts), = <code>\notowner</code> (mathabx), = <code>\notowns</code> (fourier), negated contains, variant
0220E	\blacksquare	(\blacksquare)		mathord		# <code>\blacksquare</code> (amssymb), END OF PROOF
0220F	\prod	\prod	<code>\prod</code>	mathop		product operator
02210	\coprod	\coprod	<code>\coprod</code>	mathop		coproduct operator
02211	\sum	\sum	<code>\sum</code>	mathop		summation operator
02212	$-$	$-$	<code>-</code>	mathbin		MINUS SIGN
02213	\mp	\mp	<code>\mp</code>	mathbin		MINUS-OR-PLUS SIGN
02214	$\dot{+}$	$\dot{+}$	<code>\dotplus</code>	mathbin	amssymb	plus sign, dot above
02215	$/$	$/$	<code>\slash</code>	mathbin		DIVISION SLASH
02216	\smallsetminus	\smallsetminus	<code>\smallsetminus</code>	mathbin	amssymb fourier	small SET MINUS (cf. reverse solidus)
02217	$*$	$*$	<code>\ast</code>	mathbin		ASTERISK OPERATOR (Hodge star operator)
02218	\circ	\circ	<code>\circ</code>	mathbin		composite function (small circle)
02219	\bullet	\bullet	<code>\bullet</code>	mathbin		BULLET OPERATOR
0221A	\sqrt{x}	\sqrt{x}	<code>\sqrt{x}</code>	mathradical		radical
0221B	$\sqrt[3]{x}$	$\sqrt[3]{x}$	<code>\sqrt[3]{x}</code>	mathradical		CUBE ROOT
0221C	$\sqrt[4]{x}$	$\sqrt[4]{x}$	<code>\sqrt[4]{x}</code>	mathradical		FOURTH ROOT
0221D	\propto	\propto	<code>\propto</code>	mathrel		# <code>\varpropto</code> (amssymb), is PROPORTIONAL TO
0221E	∞	∞	<code>\infty</code>	mathord		INFINITY
02220	\sphericalangle	\sphericalangle	<code>\sphericalangle</code>	mathord		ANGLE
02221	\sphericalangle	\sphericalangle	<code>\measuredangle</code>	mathord	amssymb wrisym	MEASURED ANGLE
02222	\sphericalangle	\sphericalangle	<code>\sphericalangle</code>	mathord	amssymb wrisym	SPHERICAL ANGLE
02223	\mid	\mid	<code>\mid</code>	mathrel		r: DIVIDES
02224	\nmid	\nmid	<code>\nmid</code>	mathrel	amssymb	negated mid, DOES NOT DIVIDE
02225	\parallel	\parallel	<code>\parallel</code>	mathrel		parallel
02226	\nparallel	\nparallel	<code>\nparallel</code>	mathrel	amssymb fourier	not parallel
02227	\wedge	\wedge	<code>\wedge</code>	mathbin	amssymb	= <code>\land</code> , b: LOGICAL AND
02228	\vee	\vee	<code>\vee</code>	mathbin		= <code>\lor</code> , b: LOGICAL OR
02229	\cap	\cap	<code>\cap</code>	mathbin		INTERSECTION
0222A	\cup	\cup	<code>\cup</code>	mathbin		UNION or logical sum
0222B	\int	\int	<code>\int</code>	mathop		INTEGRAL operator
0222C	\iint	\iint	<code>\iint</code>	mathop	amsmath fourier esint wasysym	DOUBLE INTEGRAL operator

No.	Text	Math	Macro	Category	Requirements	Comments
0222D	\iiint	\iiint	<code>\iiint</code>	mathop	amsmath fourier esint wasysym	TRIPLE INTEGRAL operator
0222E	\oint	\oint	<code>\oint</code>	mathop		CONTOUR INTEGRAL operator
0222F	\oiint	\oiint	<code>\oiint</code>	mathop	esint wasysym	= <code>\dbloint</code> (wrisym), double contour integral operator
02230	\iiint	\iiint	<code>\oiiint</code>	mathop	txfonts fourier	triple contour integral operator
02232	\oint	\oint	<code>\varointclockwise</code>	mathop	esint	= <code>\clockoint</code> (wrisym), contour integral, clockwise
02233	\oint	\oint	<code>\ointctrclockwise</code>	mathop	esint	= <code>\ntclockoint</code> (wrisym), contour integral, anticlockwise
02234	\therefore	\therefore	<code>\therefore</code>	mathord	amssymb wrisym	= <code>\wasytherefore</code> (wasysym), THEREFORE
02235	\because	\because	<code>\because</code>	mathord	amssymb wrisym	BECAUSE
02236	\colon	\colon	<code>\colon</code>	mathrel		x <code>\colon</code> , RATIO
02237	\because	\because	<code>\Proportion</code>	mathrel	wrisym	# <code>\because</code> , two colons
02239	\because	\because	<code>\eqcolon</code>	mathrel	txfonts -mathabx	# <code>\because</code> , EXCESS
0223C	\sim	\sim	<code>\sim</code>	mathrel		similar to, TILDE OPERATOR
0223D	\smile	\smile	<code>\backsim</code>	mathrel	amssymb	reverse similar
02240	\wr	\wr	<code>\wr</code>	mathbin	amssymb	WREATH PRODUCT
02241	\nsim	\nsim	<code>\nsim</code>	mathrel	amssymb wrisym	not similar
02242	\simeq	\simeq	<code>\eqsim</code>	mathrel	amssymb	equals, similar
02243	\simeq	\simeq	<code>\simeq</code>	mathrel		similar, equals
02244	\nsimeq	\nsimeq	<code>\nsimeq</code>	mathrel	txfonts	not similar, equals
02245	\cong	\cong	<code>\cong</code>	mathrel		congruent with
02247	\ncong	\ncong	<code>\ncong</code>	mathrel	amssymb wrisym	not congruent with
02248	\approx	\approx	<code>\approx</code>	mathrel		approximate
0224A	\approx	\approx	<code>\approxeq</code>	mathrel	amssymb	approximate, equals
0224D	\asymp	\asymp	<code>\asymp</code>	mathrel		asymptotically equal to
0224E	\bumpeq	\bumpeq	<code>\Bumpeq</code>	mathrel	amssymb wrisym	bumpy equals
0224F	\bumpeq	\bumpeq	<code>\bumpeq</code>	mathrel	amssymb wrisym	bumpy equals, equals
02250	\doteq	\doteq	<code>\doteq</code>	mathrel		= <code>\dotequal</code> (wrisym), equals, single dot above
02251	\doteq	\doteq	<code>\Doteq</code>	mathrel	amssymb	= <code>\doteqdot</code> (amssymb), / <code>\doteq</code> r: equals, even dots
02252	\fallingdotseq	\fallingdotseq	<code>\fallingdotseq</code>	mathrel	amssymb	equals, falling dots
02253	\risingdotseq	\risingdotseq	<code>\risingdotseq</code>	mathrel	amssymb	equals, rising dots
02254	\coloneqq	\coloneqq	<code>\coloneq</code>	mathrel	mathabx -txfonts	= <code>\coloneqq</code> (txfonts), = <code>\SetDelayed</code> (wrisym), # <code>\coloneqq</code> : colon, equals
02255	\eqcolon	\eqcolon	<code>\eqcolon</code>	mathrel	mathabx -txfonts	= <code>\eqqcolon</code> (txfonts), # <code>\eqcolon</code> : equals, colon
02256	\eqcirc	\eqcirc	<code>\eqcirc</code>	mathrel	amssymb	circle on equals sign
02257	\circeq	\circeq	<code>\circeq</code>	mathrel	amssymb	circle, equals
0225C	\triangleq	\triangleq	<code>\triangleq</code>	mathrel	amssymb	= <code>\varsdef</code> (oz), triangle, equals
02260	\neq	\neq	<code>\neq</code>	mathrel		= <code>\ne</code> , r: not equal
02261	\equiv	\equiv	<code>\equiv</code>	mathrel		identical with

No.	Text	Math	Macro	Category	Requirements	Comments
02264	\leq	\leq	<code>\leq</code>	mathrel		= <code>\le</code> , r: less-than-or-equal
02265	\geq	\geq	<code>\geq</code>	mathrel		= <code>\ge</code> , r: greater-than-or-equal
02266	$\leq\leq$	$\leq\leq$	<code>\leqq</code>	mathrel	amssymb	less, double equals
02267	$\geq\geq$	$\geq\geq$	<code>\geqq</code>	mathrel	amssymb	greater, double equals
02268	$\leq\neq$	$\leq\neq$	<code>\lneqq</code>	mathrel	amssymb	less, not double equals
02269	$\geq\neq$	$\geq\neq$	<code>\gneqq</code>	mathrel	amssymb	greater, not double equals
0226A	\ll	\ll	<code>\ll</code>	mathrel		much less than, type 2
0226B	\gg	\gg	<code>\gg</code>	mathrel		much greater than, type 2
0226C	\between	\between	<code>\between</code>	mathrel	amssymb	BETWEEN
0226E	\nless	\nless	<code>\nless</code>	mathrel	amssymb	NOT LESS-THAN
0226F	\ngtr	\ngtr	<code>\ngtr</code>	mathrel	amssymb	NOT GREATER-THAN
02270	\nleq	\nleq	<code>\nleq</code>	mathrel	amssymb wrisym	= <code>\nleqslant</code> (fourier), not less-than-or-equal
02271	\ngeq	\ngeq	<code>\ngeq</code>	mathrel	amssymb wrisym	= <code>\ngeqslant</code> (fourier), not greater-than-or-equal
02272	\lesssim	\lesssim	<code>\lessim</code>	mathrel	amssymb	= <code>\apprle</code> (wasysym), = <code>\LessTilde</code> (wrisym), less, similar
02273	\gtrsim	\gtrsim	<code>\gtrsim</code>	mathrel	amssymb	= <code>\apprge</code> (wasysym), = <code>\GreaterTilde</code> (wrisym), greater, similar
02276	\lessgtr	\lessgtr	<code>\lessgtr</code>	mathrel	amssymb	less, greater
02277	\gtrless	\gtrless	<code>\gtrless</code>	mathrel	amssymb	= <code>\GreaterLess</code> (wrisym), greater, less
0227A	\prec	\prec	<code>\prec</code>	mathrel		PRECEDES
0227B	\succ	\succ	<code>\succ</code>	mathrel		SUCCEEDS
0227C	\preccurlyeq	\preccurlyeq	<code>\preccurlyeq</code>	mathrel	amssymb	= <code>\PrecedesSlantEqual</code> (wrisym), precedes, curly equals
0227D	\succcurlyeq	\succcurlyeq	<code>\succcurlyeq</code>	mathrel	amssymb	= <code>\SucceedsSlantEqual</code> (wrisym), succeeds, curly equals
0227E	\precsim	\precsim	<code>\precsim</code>	mathrel	amssymb	= <code>\PrecedesTilde</code> (wrisym), precedes, similar
0227F	\succsim	\succsim	<code>\succsim</code>	mathrel	amssymb	= <code>\SucceedsTilde</code> (wrisym), succeeds, similar
02280	\nprec	\nprec	<code>\nprec</code>	mathrel	amssymb wrisym	not precedes
02281	\nsucc	\nsucc	<code>\nsucc</code>	mathrel	amssymb wrisym	not succeeds
02282	\subset	\subset	<code>\subset</code>	mathrel		subset or is implied by
02283	\supset	\supset	<code>\supset</code>	mathrel		superset or implies
02286	\subseteq	\subseteq	<code>\subseteq</code>	mathrel		subset, equals
02287	\supseteq	\supseteq	<code>\supseteq</code>	mathrel		superset, equals
02288	\nsubseteq	\nsubseteq	<code>\nsubseteq</code>	mathrel	amssymb wrisym	not subset, equals
02289	\nsupseteq	\nsupseteq	<code>\nsupseteq</code>	mathrel	amssymb wrisym	not superset, equals
0228A	\subsetneq	\subsetneq	<code>\subsetneq</code>	mathrel	amssymb	= <code>\varsubsetneq</code> (fourier), subset, not equals
0228B	\supsetneq	\supsetneq	<code>\supsetneq</code>	mathrel	amssymb	superset, not equals
0228E	\uplus	\uplus	<code>\uplus</code>	mathbin		= <code>\buni</code> (oz), plus sign in union
0228F	\sqsubset	\sqsubset	<code>\sqsubset</code>	mathrel	amfonts	square subset
02290	\sqsupset	\sqsupset	<code>\sqsupset</code>	mathrel	amfonts	square superset
02291	\sqsubseteq	\sqsubseteq	<code>\sqsubseteq</code>	mathrel		square subset, equals
02292	\sqsupseteq	\sqsupseteq	<code>\sqsupseteq</code>	mathrel		square superset, equals

No.	Text	Math	Macro	Category	Requirements	Comments
02293	\sqcap	\sqcap	<code>\sqcap</code>	mathbin		square intersection
02294	\sqcup	\sqcup	<code>\sqcup</code>	mathbin		square union
02295	\oplus	\oplus	<code>\oplus</code>	mathbin		plus sign in circle
02296	\ominus	\ominus	<code>\ominus</code>	mathbin		minus sign in circle
02297	\otimes	\otimes	<code>\otimes</code>	mathbin		multiply sign in circle
02298	\oslash	\oslash	<code>\oslash</code>	mathbin		solidus in circle
02299	\odot	\odot	<code>\odot</code>	mathbin		middle dot in circle
0229A	\odot	\odot	<code>\circledcirc</code>	mathbin	amssymb	small circle in circle
0229B	\otimes	\otimes	<code>\circledast</code>	mathbin	amssymb	asterisk in circle
0229D	\ominus	\ominus	<code>\circleddash</code>	mathbin	amssymb	hyphen in circle
0229E	\boxplus	\boxplus	<code>\boxplus</code>	mathbin	amssymb	plus sign in box
0229F	\boxminus	\boxminus	<code>\boxminus</code>	mathbin	amssymb	minus sign in box
022A0	\boxtimes	\boxtimes	<code>\boxtimes</code>	mathbin	amssymb	multiply sign in box
022A1	\boxdot	\boxdot	<code>\boxdot</code>	mathbin	amssymb stmaryrd	/dotsquare /boxdot b: small dot in box
022A2	\vdash	\vdash	<code>\vdash</code>	mathrel		RIGHT TACK, proves, implies, yields, (vertical, dash)
022A3	\dashv	\dashv	<code>\dashv</code>	mathrel	amssymb	LEFT TACK, non-theorem, does not yield, (dash, vertical)
022A4	\top	\top	<code>\top</code>	mathord		DOWN TACK, top
022A5	\perp	\perp	<code>\bot</code>	mathord		UP TACK, bottom
022A6	\vdash	(\vdash)		mathrel		# \vdash, ASSERTION (vertical, short dash)
022A7	\vDash	\vDash	<code>\models</code>	mathrel		MODELS (vertical, short double dash)
022A8	\vDash	\vDash	<code>\vDash</code>	mathrel	amssymb fourier	TRUE (vertical, double dash)
022A9	\Vdash	\Vdash	<code>\Vdash</code>	mathrel	amssymb	double vertical, dash
022AA	\Vdash	\Vdash	<code>\Vdash</code>	mathrel	amssymb	triple vertical, dash
022AB	\Vdash	\Vdash	<code>\Vdash</code>	mathrel	mathabx txfonts	double vert, double dash
022AC	\nvdash	\nvdash	<code>\nvdash</code>	mathrel	amssymb	not vertical, dash
022AD	\nvdash	\nvdash	<code>\nvdash</code>	mathrel	amssymb fourier	not vertical, double dash
022AE	\nvdash	\nvdash	<code>\nvdash</code>	mathrel	amssymb	not double vertical, dash
022AF	\nvdash	\nvdash	<code>\nvdash</code>	mathrel	amssymb	not double vert, double dash
022B2	\triangleleft	\triangleleft	<code>\vartriangleleft</code>	mathrel	amssymb	left triangle, open, variant
022B3	\triangleright	\triangleright	<code>\vartriangleright</code>	mathrel	amssymb	right triangle, open, variant
022B4	\trianglelefteq	\trianglelefteq	<code>\trianglelefteq</code>	mathrel	amssymb	= \unlhd (wrisym), left triangle, equals
022B5	\trianglerighteq	\trianglerighteq	<code>\trianglerighteq</code>	mathrel	amssymb	= \unrhd (wrisym), right triangle, equals
022B6	\multimap	\multimap	<code>\multimapdotbothA</code>	mathrel	txfonts	ORIGINAL OF
022B7	\multimap	\multimap	<code>\multimapdotbothB</code>	mathrel	txfonts	IMAGE OF
022B8	\multimap	\multimap	<code>\multimap</code>	mathrel	amssymb	/MULTIMAP a:
022BA	\intercal	\intercal	<code>\intercal</code>	mathbin	amssymb fourier	intercal
022BB	\veebar	\veebar	<code>\veebar</code>	mathbin	amssymb	logical or, bar below (large vee); exclusive disjunction
022BC	$\bar{\wedge}$	$\bar{\wedge}$	<code>\barwedge</code>	mathbin	amssymb	logical NAND (bar over wedge)

No.	Text	Math	Macro	Category	Requirements	Comments
022C0	\bigwedge	\bigwedge	<code>\bigwedge</code>	mathop		logical or operator
022C1	\bigvee	\bigvee	<code>\bigvee</code>	mathop		logical and operator
022C2	\bigcap	\bigcap	<code>\bigcap</code>	mathop		= <code>\dint</code> (oz), <code>\dinter</code> (oz), intersection operator
022C3	\bigcup	\bigcup	<code>\bigcup</code>	mathop		= <code>\duni</code> (oz), <code>\dunion</code> (oz), union operator
022C4	\diamond	\diamond	<code>\diamond</code>	mathbin		DIAMOND OPERATOR (white diamond)
022C5	\cdot	\cdot	<code>\cdot</code>	mathbin		DOT OPERATOR (small middle dot)
022C6	\star	\star	<code>\star</code>	mathbin		small star, filled, low
022C7	\div	\div	<code>\div</code>	mathbin	amssymb	division on times
022C8	\bowtie	\bowtie	<code>\bowtie</code>	mathrel		= <code>\lrtimes</code> (txfonts), BOWTIE
022C9	\ltimes	\ltimes	<code>\ltimes</code>	mathbin	amssymb	times sign, left closed
022CA	\rtimes	\rtimes	<code>\rtimes</code>	mathbin	amssymb	times sign, right closed
022CB	\leftthreetimes	\leftthreetimes	<code>\leftthreetimes</code>	mathbin	amssymb	LEFT SEMIDIRECT PRODUCT
022CC	\rightthreetimes	\rightthreetimes	<code>\rightthreetimes</code>	mathbin	amssymb	RIGHT SEMIDIRECT PRODUCT
022CD	\backsimeq	\backsimeq	<code>\backsimeq</code>	mathrel	amssymb	reverse similar, equals
022CE	\curlyvee	\curlyvee	<code>\curlyvee</code>	mathbin	amssymb	CURLY LOGICAL OR
022CF	\curlywedge	\curlywedge	<code>\curlywedge</code>	mathbin	amssymb	CURLY LOGICAL AND
022D0	\Subset	\Subset	<code>\Subset</code>	mathrel	amssymb	DOUBLE SUBSET
022D1	\Supset	\Supset	<code>\Supset</code>	mathrel	amssymb	DOUBLE SUPERSET
022D2	\Cap	\Cap	<code>\Cap</code>	mathbin	amssymb	/cap /doublecap b: DOUBLE INTERSECTION
022D3	\Cup	\Cup	<code>\Cup</code>	mathbin	amssymb	/cup /doublecup b: DOUBLE UNION
022D4	\pitchfork	\pitchfork	<code>\pitchfork</code>	mathrel	amssymb	PITCHFORK
022D6	\lessdot	\lessdot	<code>\lessdot</code>	mathrel	amssymb	less than, with dot
022D7	\gtrdot	\gtrdot	<code>\gtrdot</code>	mathrel	amssymb	greater than, with dot
022D8	\lll	\lll	<code>\lll</code>	mathrel	amssymb mathabx	- triple less-than
022D9	\ggg	\ggg	<code>\ggg</code>	mathrel	amssymb mathabx	- triple greater-than
022DA	\lesseqgtr	\lesseqgtr	<code>\lesseqgtr</code>	mathrel	amssymb	less, equals, greater
022DB	\gtreqless	\gtreqless	<code>\gtreqless</code>	mathrel	amssymb	greater, equals, less
022DE	\curlyeqprec	\curlyeqprec	<code>\curlyeqprec</code>	mathrel	amssymb	curly equals, precedes
022DF	\curlyeqsucc	\curlyeqsucc	<code>\curlyeqsucc</code>	mathrel	amssymb	curly equals, succeeds
022E0	\npreceq	\npreceq	<code>\npreceq</code>	mathrel	amssymb wrisym	DOES NOT PRECEDE OR EQUAL
022E1	\nsucceq	\nsucceq	<code>\nsucceq</code>	mathrel	amssymb wrisym	not succeeds, curly equals
022E6	\lnsim	\lnsim	<code>\lnsim</code>	mathrel	amssymb	less, not similar
022E7	\gnsim	\gnsim	<code>\gnsim</code>	mathrel	amssymb	greater, not similar
022E8	\precnsim	\precnsim	<code>\precnsim</code>	mathrel	amssymb	precedes, not similar
022E9	\succnsim	\succnsim	<code>\succnsim</code>	mathrel	amssymb	succeeds, not similar
022EA	\ntriangleleft	\ntriangleleft	<code>\ntriangleleft</code>	mathrel	amssymb	= <code>\NotLeftTriangle</code> (wrisym), not left triangle

No.	Text	Math	Macro	Category	Requirements	Comments
022EB	⚡	⚡	<code>\ntriangleright</code>	mathrel	amssymb	= <code>\NotRightTriangle</code> (wrisym), not right triangle
022EC	⚡	⚡	<code>\ntriangleleft</code>	mathrel	amssymb	= <code>\nunlhd</code> (wrisym), not left triangle, equals
022ED	⚡	⚡	<code>\ntrianglerighteq</code>	mathrel	amssymb	= <code>\nunrhd</code> (wrisym), not right triangle, equals
022EE	⋮	⋮	<code>\vdots</code>	mathrel		VERTICAL ELLIPSIS
022EF	⋯	⋯	<code>\cdots</code>	mathord		three dots, centered
022F1	⋱	⋱	<code>\ddots</code>	mathrel		three dots, descending
022FF	E	(E)		mathrel		# <code>\mathsf{E}</code> , Z NOTATION BAG MEMBERSHIP
02300	∅	(∅)	<code>\diameter</code>	mathord	mathabx	# <code>\varnothing</code> (amssymb), DIAMETER SIGN
02305	⋈	(⋈)		mathbin		# <code>\barwedge</code> (amssymb), PROJECTIVE (bar over small wedge) not nand
02306	⋈	(⋈)		mathbin		# <code>\doublebarwedge</code> (amssymb), PERSPECTIVE (double bar over small wedge)
02308	⌈	⌈	<code>\lceil</code>	mathopen		LEFT CEILING
02309	⌋	⌋	<code>\rceil</code>	mathclose		RIGHT CEILING
0230A	⌊	⌊	<code>\lfloor</code>	mathopen		LEFT FLOOR
0230B	⌋	⌋	<code>\rfloor</code>	mathclose		RIGHT FLOOR
0231C	⌜	⌜	<code>\ulcorner</code>	mathopen	amssymb	upper left corner
0231D	⌝	⌝	<code>\urcorner</code>	mathclose	amssymb	upper right corner
0231E	⌞	⌞	<code>\llcorner</code>	mathopen	amssymb	lower left corner
0231F	⌟	⌟	<code>\lrcorner</code>	mathclose	amssymb	lower right corner
02322	∩	∩	<code>\frown</code>	mathrel		# <code>\smallFROWN</code> , down curve
02323	∪	∪	<code>\smile</code>	mathrel		# <code>\smallSMILE</code> , up curve
023DE	⏟	\overbrace{x}	<code>\overbrace</code>	mathover		TOP CURLY BRACKET (mathematical use)
023DF	⏟	\underbrace{x}	<code>\underbrace</code>	mathunder		BOTTOM CURLY BRACKET (mathematical use)
025B3	△	△	<code>\bigtriangleup</code>	mathbin	-stmaryrd	= <code>\triangle</code> (amssymb), # <code>\vartriangle</code> (amssymb), big up triangle, open
025B5	△	(△)	<code>\smalltriangleup</code>	mathbin	mathabx	# <code>\vartriangle</code> (amssymb), small up triangle, open
025B7	▷	▷	<code>\rhd</code>	mathbin	amssymb wasysym	= <code>\rres</code> (oz), = <code>\RightTriangle</code> (wrisym), (large) right triangle, open; z notation range restriction
025B9	▷	(▷)	<code>\smalltriangleright</code>	mathbin	mathabx	# <code>\triangleright</code> , x <code>\triangleright</code> (mathabx), right triangle, open
025BD	▽	▽	<code>\bigtriangledown</code>	mathbin	-stmaryrd	big down triangle, open
025BF	▽	(▽)	<code>\smalltriangledown</code>	mathbin	mathabx	# <code>\triangledown</code> (amssymb), WHITE DOWN-POINTING SMALL TRIANGLE
025C1	◁	◁	<code>\lhd</code>	mathbin	amssymb wasysym	= <code>\dres</code> (oz), = <code>\LeftTriangle</code> (wrisym), (large) left triangle, open; z notation domain restriction
025C3	◁	(◁)	<code>\smalltriangleleft</code>	mathbin	mathabx	# <code>\triangleleft</code> , x <code>\triangleleft</code> (mathabx), left triangle, open
025C6	◆	◆	<code>\Diamondblack</code>	mathord	txfonts	BLACK DIAMOND
025C7	◇	◇	<code>\Diamond</code>	mathord	amssymb	WHITE DIAMOND; diamond, open
025CA	◇	◇	<code>\lozenge</code>	mathord	amssymb	LOZENGE or total mark
025CE	◎	(◎)		mathord		# <code>\circledcirc</code> (amssymb), BULLSEYE
025EB	▮	▮	<code>\boxbar</code>	mathbin	stmaryrd txfonts	vertical bar in box

No.	Text	Math	Macro	Category	Requirements	Comments
025FB	□	□	\square	mathord	amssymb -fourier	WHITE MEDIUM SQUARE
025FC	■	■	\blacksquare	mathord	amssymb -fourier	BLACK MEDIUM SQUARE
02605	★	★	\bigstar	mathord	amssymb	star, filled
02660	♠	♠	\spadesuit	mathord		spades suit symbol
02661	♥	♥	\heartsuit	mathord		heart suit symbol
02662	◇	◇	\diamondsuit	mathord		diamond suit symbol
02663	♣	♣	\clubsuit	mathord		club suit symbol
02664	♠	♠	\varspadesuit	mathord	txfonts	= \varspade (arevmath), spade, white (card suit)
02665	♥	♥	\varheartsuit	mathord	txfonts	= \varheart (arevmath), filled heart (card suit)
02666	◆	◆	\vardiamondsuit	mathord	txfonts	= \vardiamond (arevmath), filled diamond (card suit)
02667	♣	♣	\varclubsuit	mathord	txfonts	= \varclub (arevmath), club, white (card suit)
0266D	♭	♭	\flat	mathord		musical flat
0266E	♮	♮	\natural	mathord		music natural
0266F	♯	♯	\sharp	mathord		# (oz), musical sharp, z notation infix bag count
026AA	○	○	\medcirc	mathord	txfonts	MEDIUM WHITE CIRCLE
026AB	●	●	\medbullet	mathord	txfonts	MEDIUM BLACK CIRCLE
027C2	⊥	⊥	\perp	mathrel		PERPENDICULAR
027C5	⌈	⌈	\Lbag	mathopen	stmaryrd txfonts	= \lbag (stmaryrd -oz), LEFT S-SHAPED BAG DELIMITER
027C6	⌋	⌋	\Rbag	mathclose	stmaryrd txfonts	= \rbag (stmaryrd -oz), RIGHT S-SHAPED BAG DELIMITER
027D0	◊	◊	\Diamonddot	mathord	txfonts	WHITE DIAMOND WITH CENTRED DOT
027DC	⋈	⋈	\multimapinv	mathrel	txfonts	LEFT MULTIMAP
027E8	⟨	⟨	\langle	mathopen		MATHEMATICAL LEFT ANGLE BRACKET
027E9	⟩	⟩	\rangle	mathclose		MATHEMATICAL RIGHT ANGLE BRACKET
027EE	((\lgroup	mathopen		MATHEMATICAL LEFT FLATTENED PARENTHESIS
027EF))	\rgroup	mathclose		MATHEMATICAL RIGHT FLATTENED PARENTHESIS
027F5	←	←	\longleftarrow	mathrel		LONG LEFTWARDS ARROW
027F6	→	→	\longrightarrow	mathrel		LONG RIGHTWARDS ARROW
027F7	↔	↔	\longleftrightarrow	mathrel		LONG LEFT RIGHT ARROW
027F8	⇐	⇐	\Longleftarrow	mathrel		= \impliedby (amsmath), LONG LEFTWARDS DOUBLE ARROW
027F9	⇒	⇒	\Longrightarrow	mathrel		= \implies (amsmath), LONG RIGHTWARDS DOUBLE ARROW
027FA	⇔	⇔	\Longleftrightarrow	mathrel		= \iff (oz), LONG LEFT RIGHT DOUBLE ARROW
027FC	⤴	⤴	\longmapsto	mathrel		LONG RIGHTWARDS ARROW FROM BAR
02933	↗	↗	\leadsto	mathrel	txfonts	WAVE ARROW POINTING DIRECTLY RIGHT
0297C	↵	↵	\strictfi	mathrel	txfonts	LEFT FISH TAIL
0297D	↶	↶	\strictif	mathrel	txfonts	RIGHT FISH TAIL
029B8	⊘	⊘	\circledbslash	mathbin	txfonts	CIRCLED REVERSE SOLIDUS
029C0	⊙	⊙	\circledless	mathbin	txfonts	CIRCLED LESS-THAN
029C1	⊚	⊚	\circledgtr	mathbin	txfonts	CIRCLED GREATER-THAN

No.	Text	Math	Macro	Category	Requirements	Comments
029C4	☐	☐	<code>\boxslash</code>	mathbin	stmaryrd txfonts	SQUARED RISING DIAGONAL SLASH
029C5	☐	☐	<code>\boxbslash</code>	mathbin	stmaryrd txfonts	SQUARED FALLING DIAGONAL SLASH
029C6	☒	☒	<code>\boxast</code>	mathbin	stmaryrd txfonts	SQUARED ASTERISK
029DF	⋈	⋈	<code>\multimapboth</code>	mathrel	txfonts	DOUBLE-ENDED MULTIMAP
029EB	◆	◆	<code>\blacklozenge</code>	mathbin	amssymb	BLACK LOZENGE
029F5	∖	∖	<code>\setminus</code>	mathbin		REVERSE SOLIDUS OPERATOR
02A00	⊙	⊙	<code>\bigodot</code>	mathop		N-ARY CIRCLED DOT OPERATOR
02A01	⊕	⊕	<code>\bigoplus</code>	mathop		N-ARY CIRCLED PLUS OPERATOR
02A02	⊗	⊗	<code>\bigotimes</code>	mathop		N-ARY CIRCLED TIMES OPERATOR
02A04	⊕	⊕	<code>\biguplus</code>	mathop		N-ARY UNION OPERATOR WITH PLUS
02A05	⊏	⊏	<code>\bigsqcap</code>	mathop	txfonts	N-ARY SQUARE INTERSECTION OPERATOR
02A06	⊐	⊐	<code>\bigsqcup</code>	mathop		N-ARY SQUARE UNION OPERATOR
02A09	⊗	⊗	<code>\varprod</code>	mathop	txfonts	N-ARY TIMES OPERATOR
02A0C	∫	∫	<code>\iiint</code>	mathop	amsmath esint	QUADRUPLE INTEGRAL OPERATOR
02A0F	∫	∫	<code>\fint</code>	mathop	esint wrisym	INTEGRAL AVERAGE WITH SLASH
02A16	∫	∫	<code>\sqint</code>	mathop	esint	= <code>\sqrnt</code> (wrisym), QUATERNION INTEGRAL OPERATOR
02A1D	⊗	⊗	<code>\Join</code>	mathop	amssymb	JOIN
02A2F	×	(×)		mathbin		# <code>\times</code> , VECTOR OR CROSS PRODUCT
02A3F	⊔	⊔	<code>\amalg</code>	mathbin		AMALGAMATION OR COPRODUCT
02A5E	⋈	⋈	<code>\doublebarwedge</code>	mathbin	amssymb	LOGICAL AND WITH DOUBLE OVERBAR
02A74	⋈	⋈	<code>\Coloneqq</code>	mathrel	txfonts	# <code>::=</code> , x <code>\Coloneq</code> (txfonts), DOUBLE COLON EQUAL
02A75	==	(==)	<code>\Equal</code>	mathrel	wrisym	# <code>==</code> , TWO CONSECUTIVE EQUALS SIGNS
02A76	===	(===)	<code>\Same</code>	mathrel	wrisym	# <code>===</code> , THREE CONSECUTIVE EQUALS SIGNS
02A7D	≲	≲	<code>\leqslant</code>	mathrel	amssymb fourier	LESS-THAN OR SLANTED EQUAL TO
02A7E	≳	≳	<code>\geqslant</code>	mathrel	amssymb fourier	GREATER-THAN OR SLANTED EQUAL TO
02A85	≲	≲	<code>\lessapprox</code>	mathrel	amssymb	LESS-THAN OR APPROXIMATE
02A86	≳	≳	<code>\gtrapprox</code>	mathrel	amssymb	GREATER-THAN OR APPROXIMATE
02A87	≲	≲	<code>\lneq</code>	mathrel	amssymb	LESS-THAN AND SINGLE-LINE NOT EQUAL TO
02A88	≳	≳	<code>\gneq</code>	mathrel	amssymb	GREATER-THAN AND SINGLE-LINE NOT EQUAL TO
02A89	≲	≲	<code>\lnapprox</code>	mathrel	amssymb	LESS-THAN AND NOT APPROXIMATE
02A8A	≳	≳	<code>\gnapprox</code>	mathrel	amssymb	GREATER-THAN AND NOT APPROXIMATE
02A8B	≲	≲	<code>\lesseqgtr</code>	mathrel	amssymb	LESS-THAN ABOVE DOUBLE-LINE EQUAL ABOVE GREATER-THAN
02A8C	≳	≳	<code>\gtreqqlless</code>	mathrel	amssymb	GREATER-THAN ABOVE DOUBLE-LINE EQUAL ABOVE LESS-THAN
02A95	≲	≲	<code>\eqslantless</code>	mathrel	amssymb	SLANTED EQUAL TO OR LESS-THAN
02A96	≳	≳	<code>\eqslantgtr</code>	mathrel	amssymb	SLANTED EQUAL TO OR GREATER-THAN
02AAF	≲	≲	<code>\preceq</code>	mathrel		PRECEDES ABOVE SINGLE-LINE EQUALS SIGN
02AB0	≲	≲	<code>\succeq</code>	mathrel		SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN
02AB3	≲	≲	<code>\preceqq</code>	mathrel	txfonts	PRECEDES ABOVE EQUALS SIGN

No.	Text	Math	Macro	Category	Requirements	Comments
02AB4	\succcurlyeq	\succcurlyeq	<code>\succeqq</code>	mathrel	txfonts	SUCCEEDS ABOVE EQUALS SIGN
02AB7	\succapprox	\succapprox	<code>\preccapprox</code>	mathrel	amssymb	PRECEDES ABOVE ALMOST EQUAL TO
02AB8	\succapprox	\succapprox	<code>\succapprox</code>	mathrel	amssymb	SUCCEEDS ABOVE ALMOST EQUAL TO
02AB9	\succapprox	\succapprox	<code>\precnapprox</code>	mathrel	amssymb	PRECEDES ABOVE NOT ALMOST EQUAL TO
02ABA	\succapprox	\succapprox	<code>\succnapprox</code>	mathrel	amssymb	SUCCEEDS ABOVE NOT ALMOST EQUAL TO
02AC5	\supseteq	\supseteq	<code>\subseqq</code>	mathrel	amssymb	SUBSET OF ABOVE EQUALS SIGN
02AC6	\supseteq	\supseteq	<code>\supseqq</code>	mathrel	amssymb	SUPERSET OF ABOVE EQUALS SIGN
02ACB	\supsetneq	\supsetneq	<code>\subsetneqq</code>	mathrel	amssymb	SUBSET OF ABOVE NOT EQUAL TO
02ACC	\supsetneq	\supsetneq	<code>\supsetneqq</code>	mathrel	amssymb	SUPERSET OF ABOVE NOT EQUAL TO
02AEA	\top	\top	<code>\Top</code>	mathrel	txfonts	DOUBLE DOWN TACK
02AEB	\perp	\perp	<code>\Bot</code>	mathrel	txfonts	= <code>\Perp</code> (txfonts), DOUBLE UP TACK
02AFD	$//$	$(//)$	<code>\sslash</code>	mathbin	stmaryrd	# <code>\varparallel</code> (txfonts), DOUBLE SOLIDUS OPERATOR
02B1D	\cdot	(\cdot)		mathord		# <code>\centerdot</code> (amssymb), <code>t\Squaredot</code> (marvosym), BLACK VERY SMALL SQUARE
02B27	\blacklozenge	(\blacklozenge)		mathord		# <code>\blacklozenge</code> (amssymb), BLACK MEDIUM LOZENGE
02B28	\lozenge	(\lozenge)		mathord		# <code>\lozenge</code> (amssymb), WHITE MEDIUM LOZENGE
03008	\angle	(\angle)		mathopen		# <code>\angle</code> , LEFT ANGLE BRACKET (deprecated for math use)
03009	\sphericalangle	(\sphericalangle)		mathclose		# <code>\sphericalangle</code> , RIGHT ANGLE BRACKET (deprecated for math use)
1D400	A	A	<code>\mathbf{A}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL A
1D401	B	B	<code>\mathbf{B}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL B
1D402	C	C	<code>\mathbf{C}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL C
1D403	D	D	<code>\mathbf{D}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL D
1D404	E	E	<code>\mathbf{E}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL E
1D405	F	F	<code>\mathbf{F}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL F
1D406	G	G	<code>\mathbf{G}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL G
1D407	H	H	<code>\mathbf{H}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL H
1D408	I	I	<code>\mathbf{I}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL I
1D409	J	J	<code>\mathbf{J}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL J
1D40A	K	K	<code>\mathbf{K}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL K
1D40B	L	L	<code>\mathbf{L}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL L
1D40C	M	M	<code>\mathbf{M}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL M
1D40D	N	N	<code>\mathbf{N}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL N
1D40E	O	O	<code>\mathbf{O}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL O
1D40F	P	P	<code>\mathbf{P}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL P
1D410	Q	Q	<code>\mathbf{Q}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL Q
1D411	R	R	<code>\mathbf{R}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL R
1D412	S	S	<code>\mathbf{S}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL S
1D413	T	T	<code>\mathbf{T}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL T
1D414	U	U	<code>\mathbf{U}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL U

No.	Text	Math	Macro	Category	Requirements	Comments
1D415	V	V	<code>\mathbf{V}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL V
1D416	W	W	<code>\mathbf{W}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL W
1D417	X	X	<code>\mathbf{X}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL X
1D418	Y	Y	<code>\mathbf{Y}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL Y
1D419	Z	Z	<code>\mathbf{Z}</code>	mathalpha		MATHEMATICAL BOLD CAPITAL Z
1D41A	a	a	<code>\mathbf{a}</code>	mathalpha		MATHEMATICAL BOLD SMALL A
1D41B	b	b	<code>\mathbf{b}</code>	mathalpha		MATHEMATICAL BOLD SMALL B
1D41C	c	c	<code>\mathbf{c}</code>	mathalpha		MATHEMATICAL BOLD SMALL C
1D41D	d	d	<code>\mathbf{d}</code>	mathalpha		MATHEMATICAL BOLD SMALL D
1D41E	e	e	<code>\mathbf{e}</code>	mathalpha		MATHEMATICAL BOLD SMALL E
1D41F	f	f	<code>\mathbf{f}</code>	mathalpha		MATHEMATICAL BOLD SMALL F
1D420	g	g	<code>\mathbf{g}</code>	mathalpha		MATHEMATICAL BOLD SMALL G
1D421	h	h	<code>\mathbf{h}</code>	mathalpha		MATHEMATICAL BOLD SMALL H
1D422	i	i	<code>\mathbf{i}</code>	mathalpha		MATHEMATICAL BOLD SMALL I
1D423	j	j	<code>\mathbf{j}</code>	mathalpha		MATHEMATICAL BOLD SMALL J
1D424	k	k	<code>\mathbf{k}</code>	mathalpha		MATHEMATICAL BOLD SMALL K
1D425	l	l	<code>\mathbf{l}</code>	mathalpha		MATHEMATICAL BOLD SMALL L
1D426	m	m	<code>\mathbf{m}</code>	mathalpha		MATHEMATICAL BOLD SMALL M
1D427	n	n	<code>\mathbf{n}</code>	mathalpha		MATHEMATICAL BOLD SMALL N
1D428	o	o	<code>\mathbf{o}</code>	mathalpha		MATHEMATICAL BOLD SMALL O
1D429	p	p	<code>\mathbf{p}</code>	mathalpha		MATHEMATICAL BOLD SMALL P
1D42A	q	q	<code>\mathbf{q}</code>	mathalpha		MATHEMATICAL BOLD SMALL Q
1D42B	r	r	<code>\mathbf{r}</code>	mathalpha		MATHEMATICAL BOLD SMALL R
1D42C	s	s	<code>\mathbf{s}</code>	mathalpha		MATHEMATICAL BOLD SMALL S
1D42D	t	t	<code>\mathbf{t}</code>	mathalpha		MATHEMATICAL BOLD SMALL T
1D42E	u	u	<code>\mathbf{u}</code>	mathalpha		MATHEMATICAL BOLD SMALL U
1D42F	v	v	<code>\mathbf{v}</code>	mathalpha		MATHEMATICAL BOLD SMALL V
1D430	w	w	<code>\mathbf{w}</code>	mathalpha		MATHEMATICAL BOLD SMALL W
1D431	x	x	<code>\mathbf{x}</code>	mathalpha		MATHEMATICAL BOLD SMALL X
1D432	y	y	<code>\mathbf{y}</code>	mathalpha		MATHEMATICAL BOLD SMALL Y
1D433	z	z	<code>\mathbf{z}</code>	mathalpha		MATHEMATICAL BOLD SMALL Z
1D434	<i>A</i>	<i>A</i>	<code>A</code>	mathalpha	-frenchstyle	= <code>\mathit{A}</code> , MATHEMATICAL ITALIC CAPITAL A
1D435	<i>B</i>	<i>B</i>	<code>B</code>	mathalpha	-frenchstyle	= <code>\mathit{B}</code> , MATHEMATICAL ITALIC CAPITAL B
1D436	<i>C</i>	<i>C</i>	<code>C</code>	mathalpha	-frenchstyle	= <code>\mathit{C}</code> , MATHEMATICAL ITALIC CAPITAL C
1D437	<i>D</i>	<i>D</i>	<code>D</code>	mathalpha	-frenchstyle	= <code>\mathit{D}</code> , MATHEMATICAL ITALIC CAPITAL D
1D438	<i>E</i>	<i>E</i>	<code>E</code>	mathalpha	-frenchstyle	= <code>\mathit{E}</code> , MATHEMATICAL ITALIC CAPITAL E
1D439	<i>F</i>	<i>F</i>	<code>F</code>	mathalpha	-frenchstyle	= <code>\mathit{F}</code> , MATHEMATICAL ITALIC CAPITAL F
1D43A	<i>G</i>	<i>G</i>	<code>G</code>	mathalpha	-frenchstyle	= <code>\mathit{G}</code> , MATHEMATICAL ITALIC CAPITAL G

No.	Text	Math	Macro	Category	Requirements	Comments
1D43B	<i>H</i>	<i>H</i>	H	mathalpha	-frenchstyle	= H , MATHEMATICAL ITALIC CAPITAL H
1D43C	<i>I</i>	<i>I</i>	I	mathalpha	-frenchstyle	= I , MATHEMATICAL ITALIC CAPITAL I
1D43D	<i>J</i>	<i>J</i>	J	mathalpha	-frenchstyle	= J , MATHEMATICAL ITALIC CAPITAL J
1D43E	<i>K</i>	<i>K</i>	K	mathalpha	-frenchstyle	= K , MATHEMATICAL ITALIC CAPITAL K
1D43F	<i>L</i>	<i>L</i>	L	mathalpha	-frenchstyle	= L , MATHEMATICAL ITALIC CAPITAL L
1D440	<i>M</i>	<i>M</i>	M	mathalpha	-frenchstyle	= M , MATHEMATICAL ITALIC CAPITAL M
1D441	<i>N</i>	<i>N</i>	N	mathalpha	-frenchstyle	= N , MATHEMATICAL ITALIC CAPITAL N
1D442	<i>O</i>	<i>O</i>	O	mathalpha	-frenchstyle	= O , MATHEMATICAL ITALIC CAPITAL O
1D443	<i>P</i>	<i>P</i>	P	mathalpha	-frenchstyle	= P , MATHEMATICAL ITALIC CAPITAL P
1D444	<i>Q</i>	<i>Q</i>	Q	mathalpha	-frenchstyle	= Q , MATHEMATICAL ITALIC CAPITAL Q
1D445	<i>R</i>	<i>R</i>	R	mathalpha	-frenchstyle	= R , MATHEMATICAL ITALIC CAPITAL R
1D446	<i>S</i>	<i>S</i>	S	mathalpha	-frenchstyle	= S , MATHEMATICAL ITALIC CAPITAL S
1D447	<i>T</i>	<i>T</i>	T	mathalpha	-frenchstyle	= T , MATHEMATICAL ITALIC CAPITAL T
1D448	<i>U</i>	<i>U</i>	U	mathalpha	-frenchstyle	= U , MATHEMATICAL ITALIC CAPITAL U
1D449	<i>V</i>	<i>V</i>	V	mathalpha	-frenchstyle	= V , MATHEMATICAL ITALIC CAPITAL V
1D44A	<i>W</i>	<i>W</i>	W	mathalpha	-frenchstyle	= W , MATHEMATICAL ITALIC CAPITAL W
1D44B	<i>X</i>	<i>X</i>	X	mathalpha	-frenchstyle	= X , MATHEMATICAL ITALIC CAPITAL X
1D44C	<i>Y</i>	<i>Y</i>	Y	mathalpha	-frenchstyle	= Y , MATHEMATICAL ITALIC CAPITAL Y
1D44D	<i>Z</i>	<i>Z</i>	Z	mathalpha	-frenchstyle	= Z , MATHEMATICAL ITALIC CAPITAL Z
1D44E	<i>a</i>	<i>a</i>	a	mathalpha	-uprightstyle	= a , MATHEMATICAL ITALIC SMALL A
1D44F	<i>b</i>	<i>b</i>	b	mathalpha	-uprightstyle	= b , MATHEMATICAL ITALIC SMALL B
1D450	<i>c</i>	<i>c</i>	c	mathalpha	-uprightstyle	= c , MATHEMATICAL ITALIC SMALL C
1D451	<i>d</i>	<i>d</i>	d	mathalpha	-uprightstyle	= d , MATHEMATICAL ITALIC SMALL D
1D452	<i>e</i>	<i>e</i>	e	mathalpha	-uprightstyle	= e , MATHEMATICAL ITALIC SMALL E
1D453	<i>f</i>	<i>f</i>	f	mathalpha	-uprightstyle	= f , MATHEMATICAL ITALIC SMALL F
1D454	<i>g</i>	<i>g</i>	g	mathalpha	-uprightstyle	= g , MATHEMATICAL ITALIC SMALL G
1D456	<i>i</i>	<i>i</i>	i	mathalpha	-uprightstyle	= i , MATHEMATICAL ITALIC SMALL I
1D457	<i>j</i>	<i>j</i>	j	mathalpha	-uprightstyle	= j , MATHEMATICAL ITALIC SMALL J
1D458	<i>k</i>	<i>k</i>	k	mathalpha	-uprightstyle	= k , MATHEMATICAL ITALIC SMALL K
1D459	<i>l</i>	<i>l</i>	l	mathalpha	-uprightstyle	= l , MATHEMATICAL ITALIC SMALL L
1D45A	<i>m</i>	<i>m</i>	m	mathalpha	-uprightstyle	= m , MATHEMATICAL ITALIC SMALL M
1D45B	<i>n</i>	<i>n</i>	n	mathalpha	-uprightstyle	= n , MATHEMATICAL ITALIC SMALL N
1D45C	<i>o</i>	<i>o</i>	o	mathalpha	-uprightstyle	= o , MATHEMATICAL ITALIC SMALL O
1D45D	<i>p</i>	<i>p</i>	p	mathalpha	-uprightstyle	= p , MATHEMATICAL ITALIC SMALL P
1D45E	<i>q</i>	<i>q</i>	q	mathalpha	-uprightstyle	= q , MATHEMATICAL ITALIC SMALL Q
1D45F	<i>r</i>	<i>r</i>	r	mathalpha	-uprightstyle	= r , MATHEMATICAL ITALIC SMALL R
1D460	<i>s</i>	<i>s</i>	s	mathalpha	-uprightstyle	= s , MATHEMATICAL ITALIC SMALL S
1D461	<i>t</i>	<i>t</i>	t	mathalpha	-uprightstyle	= t , MATHEMATICAL ITALIC SMALL T

No.	Text	Math	Macro	Category	Requirements	Comments
1D462	<i>u</i>	<i>u</i>	<code>\u</code>	mathalpha	-uprightstyle	= <code>\mathit{u}</code> , MATHEMATICAL ITALIC SMALL U
1D463	<i>v</i>	<i>v</i>	<code>\v</code>	mathalpha	-uprightstyle	= <code>\mathit{v}</code> , MATHEMATICAL ITALIC SMALL V
1D464	<i>w</i>	<i>w</i>	<code>\w</code>	mathalpha	-uprightstyle	= <code>\mathit{w}</code> , MATHEMATICAL ITALIC SMALL W
1D465	<i>x</i>	<i>x</i>	<code>\x</code>	mathalpha	-uprightstyle	= <code>\mathit{x}</code> , MATHEMATICAL ITALIC SMALL X
1D466	<i>y</i>	<i>y</i>	<code>\y</code>	mathalpha	-uprightstyle	= <code>\mathit{y}</code> , MATHEMATICAL ITALIC SMALL Y
1D467	<i>z</i>	<i>z</i>	<code>\z</code>	mathalpha	-uprightstyle	= <code>\mathit{z}</code> , MATHEMATICAL ITALIC SMALL Z
1D49C	<i>A</i>	<i>A</i>	<code>\mathcal{A}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL A
1D49E	<i>C</i>	<i>C</i>	<code>\mathcal{C}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL C
1D49F	<i>D</i>	<i>D</i>	<code>\mathcal{D}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL D
1D4A2	<i>G</i>	<i>G</i>	<code>\mathcal{G}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL G
1D4A5	<i>J</i>	<i>J</i>	<code>\mathcal{J}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL J
1D4A6	<i>K</i>	<i>K</i>	<code>\mathcal{K}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL K
1D4A9	<i>N</i>	<i>N</i>	<code>\mathcal{N}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL N
1D4AA	<i>O</i>	<i>O</i>	<code>\mathcal{O}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL O
1D4AB	<i>P</i>	<i>P</i>	<code>\mathcal{P}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL P
1D4AC	<i>Q</i>	<i>Q</i>	<code>\mathcal{Q}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL Q
1D4AE	<i>S</i>	<i>S</i>	<code>\mathcal{S}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL S
1D4AF	<i>T</i>	<i>T</i>	<code>\mathcal{T}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL T
1D4B0	<i>U</i>	<i>U</i>	<code>\mathcal{U}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL U
1D4B1	<i>V</i>	<i>V</i>	<code>\mathcal{V}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL V
1D4B2	<i>W</i>	<i>W</i>	<code>\mathcal{W}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL W
1D4B3	<i>X</i>	<i>X</i>	<code>\mathcal{X}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL X
1D4B4	<i>Y</i>	<i>Y</i>	<code>\mathcal{Y}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL Y
1D4B5	<i>Z</i>	<i>Z</i>	<code>\mathcal{Z}</code>	mathalpha		MATHEMATICAL SCRIPT CAPITAL Z
1D504	<i>A</i>	<i>A</i>	<code>\mathfrak{A}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL A
1D505	<i>B</i>	<i>B</i>	<code>\mathfrak{B}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL B
1D507	<i>D</i>	<i>D</i>	<code>\mathfrak{D}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL D
1D508	<i>E</i>	<i>E</i>	<code>\mathfrak{E}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL E
1D509	<i>F</i>	<i>F</i>	<code>\mathfrak{F}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL F
1D50A	<i>G</i>	<i>G</i>	<code>\mathfrak{G}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL G
1D50D	<i>J</i>	<i>J</i>	<code>\mathfrak{J}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL J
1D50E	<i>K</i>	<i>K</i>	<code>\mathfrak{K}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL K
1D50F	<i>L</i>	<i>L</i>	<code>\mathfrak{L}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL L
1D510	<i>M</i>	<i>M</i>	<code>\mathfrak{M}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL M
1D511	<i>N</i>	<i>N</i>	<code>\mathfrak{N}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL N
1D512	<i>O</i>	<i>O</i>	<code>\mathfrak{O}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL O
1D513	<i>P</i>	<i>P</i>	<code>\mathfrak{P}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL P
1D514	<i>Q</i>	<i>Q</i>	<code>\mathfrak{Q}</code>	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL Q

No.	Text	Math	Macro	Category	Requirements	Comments
1D516	Ⓒ	Ⓒ	\mathfrak{S}	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL S
1D517	Ⓓ	Ⓓ	\mathfrak{T}	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL T
1D518	Ⓔ	Ⓔ	\mathfrak{U}	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL U
1D519	Ⓕ	Ⓕ	\mathfrak{V}	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL V
1D51A	Ⓖ	Ⓖ	\mathfrak{W}	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL W
1D51B	Ⓙ	Ⓙ	\mathfrak{X}	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL X
1D51C	Ⓚ	Ⓚ	\mathfrak{Y}	mathalpha	eufrak	MATHEMATICAL FRAKTUR CAPITAL Y
1D51E	a	a	\mathfrak{a}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL A
1D51F	b	b	\mathfrak{b}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL B
1D520	c	c	\mathfrak{c}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL C
1D521	d	d	\mathfrak{d}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL D
1D522	e	e	\mathfrak{e}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL E
1D523	f	f	\mathfrak{f}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL F
1D524	g	g	\mathfrak{g}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL G
1D525	h	h	\mathfrak{h}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL H
1D526	i	i	\mathfrak{i}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL I
1D527	j	j	\mathfrak{j}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL J
1D528	k	k	\mathfrak{k}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL K
1D529	l	l	\mathfrak{l}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL L
1D52A	m	m	\mathfrak{m}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL M
1D52B	n	n	\mathfrak{n}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL N
1D52C	o	o	\mathfrak{o}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL O
1D52D	p	p	\mathfrak{p}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL P
1D52E	q	q	\mathfrak{q}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL Q
1D52F	r	r	\mathfrak{r}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL R
1D530	s	s	\mathfrak{s}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL S
1D531	t	t	\mathfrak{t}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL T
1D532	u	u	\mathfrak{u}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL U
1D533	v	v	\mathfrak{v}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL V
1D534	w	w	\mathfrak{w}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL W
1D535	x	x	\mathfrak{x}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL X
1D536	y	y	\mathfrak{y}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL Y
1D537	z	z	\mathfrak{z}	mathalpha	eufrak	MATHEMATICAL FRAKTUR SMALL Z
1D538	A	A	\mathbb{A}	mathalpha	mathbb	= \mathds{A} (dsfont), MATHEMATICAL DOUBLE-STRUCK CAPITAL A
1D539	B	B	\mathbb{B}	mathalpha	mathbb	= \mathds{B} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL B
1D53B	D	D	\mathbb{D}	mathalpha	mathbb	= \mathds{D} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL D
1D53C	E	E	\mathbb{E}	mathalpha	mathbb	= \mathds{E} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL E
1D53D	F	F	\mathbb{F}	mathalpha	mathbb	= \mathds{F} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL F

No.	Text	Math	Macro	Category	Requirements	Comments
1D53E	G	G	\mathbb{G}	mathalpha	mathbb	= \mathds{G} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL G
1D540	I	I	\mathbb{I}	mathalpha	mathbb	= \mathds{I} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL I
1D541	J	J	\mathbb{J}	mathalpha	mathbb	= \mathds{J} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL J
1D542	K	K	\mathbb{K}	mathalpha	mathbb	= \mathds{K} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL K
1D543	L	L	\mathbb{L}	mathalpha	mathbb	= \mathds{L} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL L
1D544	M	M	\mathbb{M}	mathalpha	mathbb	= \mathds{M} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL M
1D546	O	O	\mathbb{O}	mathalpha	mathbb	= \mathds{O} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL O
1D54A	S	S	\mathbb{S}	mathalpha	mathbb	= \mathds{S} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL S
1D54B	T	T	\mathbb{T}	mathalpha	mathbb	= \mathds{T} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL T
1D54C	U	U	\mathbb{U}	mathalpha	mathbb	= \mathds{U} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL U
1D54D	V	V	\mathbb{V}	mathalpha	mathbb	= \mathds{V} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL V
1D54E	W	W	\mathbb{W}	mathalpha	mathbb	= \mathds{W} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL W
1D54F	X	X	\mathbb{X}	mathalpha	mathbb	= \mathds{X} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL X
1D550	Y	Y	\mathbb{Y}	mathalpha	mathbb	= \mathds{Y} (dsfont), matMATHEMATICAL DOUBLE-STRUCK CAPITAL Y
1D55C	k	k	\mathbb{k}	mathalpha	bbold fourier	= \Bbbk (amssymb), MATHEMATICAL DOUBLE-STRUCK SMALL K
1D5A0	A	A	A	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL A
1D5A1	B	B	B	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL B
1D5A2	C	C	C	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL C
1D5A3	D	D	D	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL D
1D5A4	E	E	E	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL E
1D5A5	F	F	F	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL F
1D5A6	G	G	G	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL G
1D5A7	H	H	H	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL H
1D5A8	I	I	I	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL I
1D5A9	J	J	J	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL J
1D5AA	K	K	K	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL K
1D5AB	L	L	L	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL L
1D5AC	M	M	M	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL M
1D5AD	N	N	N	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL N
1D5AE	O	O	O	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL O
1D5AF	P	P	P	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL P
1D5B0	Q	Q	Q	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL Q
1D5B1	R	R	R	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL R
1D5B2	S	S	S	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL S
1D5B3	T	T	T	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL T
1D5B4	U	U	U	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL U
1D5B5	V	V	V	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL V
1D5B6	W	W	W	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL W

No.	Text	Math	Macro	Category	Requirements	Comments
1D5B7	X	X	X	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL X
1D5B8	Y	Y	Y	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL Y
1D5B9	Z	Z	Z	mathalpha		MATHEMATICAL SANS-SERIF CAPITAL Z
1D5BA	a	a	a	mathalpha		MATHEMATICAL SANS-SERIF SMALL A
1D5BB	b	b	b	mathalpha		MATHEMATICAL SANS-SERIF SMALL B
1D5BC	c	c	c	mathalpha		MATHEMATICAL SANS-SERIF SMALL C
1D5BD	d	d	d	mathalpha		MATHEMATICAL SANS-SERIF SMALL D
1D5BE	e	e	e	mathalpha		MATHEMATICAL SANS-SERIF SMALL E
1D5BF	f	f	f	mathalpha		MATHEMATICAL SANS-SERIF SMALL F
1D5C0	g	g	g	mathalpha		MATHEMATICAL SANS-SERIF SMALL G
1D5C1	h	h	h	mathalpha		MATHEMATICAL SANS-SERIF SMALL H
1D5C2	i	i	i	mathalpha		MATHEMATICAL SANS-SERIF SMALL I
1D5C3	j	j	j	mathalpha		MATHEMATICAL SANS-SERIF SMALL J
1D5C4	k	k	k	mathalpha		MATHEMATICAL SANS-SERIF SMALL K
1D5C5	l	l	l	mathalpha		MATHEMATICAL SANS-SERIF SMALL L
1D5C6	m	m	m	mathalpha		MATHEMATICAL SANS-SERIF SMALL M
1D5C7	n	n	n	mathalpha		MATHEMATICAL SANS-SERIF SMALL N
1D5C8	o	o	o	mathalpha		MATHEMATICAL SANS-SERIF SMALL O
1D5C9	p	p	p	mathalpha		MATHEMATICAL SANS-SERIF SMALL P
1D5CA	q	q	q	mathalpha		MATHEMATICAL SANS-SERIF SMALL Q
1D5CB	r	r	r	mathalpha		MATHEMATICAL SANS-SERIF SMALL R
1D5CC	s	s	s	mathalpha		MATHEMATICAL SANS-SERIF SMALL S
1D5CD	t	t	t	mathalpha		MATHEMATICAL SANS-SERIF SMALL T
1D5CE	u	u	u	mathalpha		MATHEMATICAL SANS-SERIF SMALL U
1D5CF	v	v	v	mathalpha		MATHEMATICAL SANS-SERIF SMALL V
1D5D0	w	w	w	mathalpha		MATHEMATICAL SANS-SERIF SMALL W
1D5D1	x	x	x	mathalpha		MATHEMATICAL SANS-SERIF SMALL X
1D5D2	y	y	y	mathalpha		MATHEMATICAL SANS-SERIF SMALL Y
1D5D3	z	z	z	mathalpha		MATHEMATICAL SANS-SERIF SMALL Z
1D670	A	A	\mathmathtt{A}	mathalpha		MATHEMATICAL MONOSPACE CAPITAL A
1D671	B	B	\mathmathtt{B}	mathalpha		MATHEMATICAL MONOSPACE CAPITAL B
1D672	C	C	\mathmathtt{C}	mathalpha		MATHEMATICAL MONOSPACE CAPITAL C
1D673	D	D	\mathmathtt{D}	mathalpha		MATHEMATICAL MONOSPACE CAPITAL D
1D674	E	E	\mathmathtt{E}	mathalpha		MATHEMATICAL MONOSPACE CAPITAL E
1D675	F	F	\mathmathtt{F}	mathalpha		MATHEMATICAL MONOSPACE CAPITAL F
1D676	G	G	\mathmathtt{G}	mathalpha		MATHEMATICAL MONOSPACE CAPITAL G
1D677	H	H	\mathmathtt{H}	mathalpha		MATHEMATICAL MONOSPACE CAPITAL H
1D678	I	I	\mathmathtt{I}	mathalpha		MATHEMATICAL MONOSPACE CAPITAL I

No.	Text	Math	Macro	Category	Requirements	Comments
1D679	J	J	<code>\mathtt{J}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL J
1D67A	K	K	<code>\mathtt{K}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL K
1D67B	L	L	<code>\mathtt{L}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL L
1D67C	M	M	<code>\mathtt{M}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL M
1D67D	N	N	<code>\mathtt{N}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL N
1D67E	O	O	<code>\mathtt{O}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL O
1D67F	P	P	<code>\mathtt{P}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL P
1D680	Q	Q	<code>\mathtt{Q}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL Q
1D681	R	R	<code>\mathtt{R}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL R
1D682	S	S	<code>\mathtt{S}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL S
1D683	T	T	<code>\mathtt{T}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL T
1D684	U	U	<code>\mathtt{U}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL U
1D685	V	V	<code>\mathtt{V}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL V
1D686	W	W	<code>\mathtt{W}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL W
1D687	X	X	<code>\mathtt{X}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL X
1D688	Y	Y	<code>\mathtt{Y}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL Y
1D689	Z	Z	<code>\mathtt{Z}</code>	mathalpha		MATHEMATICAL MONOSPACE CAPITAL Z
1D68A	a	a	<code>\mathtt{a}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL A
1D68B	b	b	<code>\mathtt{b}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL B
1D68C	c	c	<code>\mathtt{c}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL C
1D68D	d	d	<code>\mathtt{d}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL D
1D68E	e	e	<code>\mathtt{e}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL E
1D68F	f	f	<code>\mathtt{f}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL F
1D690	g	g	<code>\mathtt{g}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL G
1D691	h	h	<code>\mathtt{h}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL H
1D692	i	i	<code>\mathtt{i}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL I
1D693	j	j	<code>\mathtt{j}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL J
1D694	k	k	<code>\mathtt{k}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL K
1D695	l	l	<code>\mathtt{l}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL L
1D696	m	m	<code>\mathtt{m}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL M
1D697	n	n	<code>\mathtt{n}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL N
1D698	o	o	<code>\mathtt{o}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL O
1D699	p	p	<code>\mathtt{p}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL P
1D69A	q	q	<code>\mathtt{q}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL Q
1D69B	r	r	<code>\mathtt{r}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL R
1D69C	s	s	<code>\mathtt{s}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL S
1D69D	t	t	<code>\mathtt{t}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL T
1D69E	u	u	<code>\mathtt{u}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL U

No.	Text	Math	Macro	Category	Requirements	Comments
1D69F	v	v	<code>\mathtt{v}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL V
1D6A0	w	w	<code>\mathtt{w}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL W
1D6A1	x	x	<code>\mathtt{x}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL X
1D6A2	y	y	<code>\mathtt{y}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL Y
1D6A3	z	z	<code>\mathtt{z}</code>	mathalpha		MATHEMATICAL MONOSPACE SMALL Z
1D6A4	<i>ι</i>	<i>ι</i>	<code>\imath</code>	mathalpha		MATHEMATICAL ITALIC SMALL DOTLESS I
1D6A5	<i>j</i>	<i>j</i>	<code>\jmath</code>	mathalpha		MATHEMATICAL ITALIC SMALL DOTLESS J
1D6AA	Γ	Γ	<code>\mathbf{\Gamma}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL GAMMA
1D6AB	Δ	Δ	<code>\mathbf{\Delta}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL DELTA
1D6AF	Θ	Θ	<code>\mathbf{\Theta}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL THETA
1D6B2	Λ	Λ	<code>\mathbf{\Lambda}</code>	mathalpha	-fourier	mathematical bold capital lambda
1D6B5	Ξ	Ξ	<code>\mathbf{\Xi}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL XI
1D6B7	Π	Π	<code>\mathbf{\Pi}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL PI
1D6BA	Σ	Σ	<code>\mathbf{\Sigma}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL SIGMA
1D6BC	Υ	Υ	<code>\mathbf{\Upsilon}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL UPSILON
1D6BD	Φ	Φ	<code>\mathbf{\Phi}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL PHI
1D6BF	Ψ	Ψ	<code>\mathbf{\Psi}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL PSI
1D6C0	Ω	Ω	<code>\mathbf{\Omega}</code>	mathalpha	-fourier	MATHEMATICAL BOLD CAPITAL OMEGA
1D6E4	<i>Γ</i>	<i>Γ</i>	<code>\Gamma</code>	mathalpha	slantedGreek	= <code>\mathit{\Gamma}</code> (-fourier), = <code>\varGamma</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL GAMMA
1D6E5	<i>Δ</i>	<i>Δ</i>	<code>\Delta</code>	mathalpha	slantedGreek	= <code>\mathit{\Delta}</code> (-fourier), = <code>\varDelta</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL DELTA
1D6E9	<i>Θ</i>	<i>Θ</i>	<code>\Theta</code>	mathalpha	slantedGreek	= <code>\mathit{\Theta}</code> (-fourier), = <code>\varTheta</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL THETA
1D6EC	<i>Λ</i>	<i>Λ</i>	<code>\Lambda</code>	mathalpha	slantedGreek	= <code>\mathit{\Lambda}</code> (-fourier), = <code>\varLambda</code> (amsmath fourier), mathematical italic capital lambda
1D6EF	<i>Ξ</i>	<i>Ξ</i>	<code>\Xi</code>	mathalpha	slantedGreek	= <code>\mathit{\Xi}</code> (-fourier), = <code>\varXi</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL XI
1D6F1	<i>Π</i>	<i>Π</i>	<code>\Pi</code>	mathalpha	slantedGreek	= <code>\mathit{\Pi}</code> (-fourier), = <code>\varPi</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL PI
1D6F4	<i>Σ</i>	<i>Σ</i>	<code>\Sigma</code>	mathalpha	slantedGreek	= <code>\mathit{\Sigma}</code> (-fourier), = <code>\varSigma</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL SIGMA
1D6F6	<i>Υ</i>	<i>Υ</i>	<code>\Upsilon</code>	mathalpha	slantedGreek	= <code>\mathit{\Upsilon}</code> (-fourier), = <code>\varUpsilon</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL UPSILON
1D6F7	<i>Φ</i>	<i>Φ</i>	<code>\Phi</code>	mathalpha	slantedGreek	= <code>\mathit{\Phi}</code> (-fourier), = <code>\varPhi</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL PHI
1D6F9	<i>Ψ</i>	<i>Ψ</i>	<code>\Psi</code>	mathalpha	slantedGreek	= <code>\mathit{\Psi}</code> (-fourier), = <code>\varPsi</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL PSI

No.	Text	Math	Macro	Category	Requirements	Comments
1D6FA	Ω	Ω	<code>\Omega</code>	mathalpha	slantedGreek	= <code>\mathit{\Omega}</code> (-fourier), = <code>\varOmega</code> (amsmath fourier), MATHEMATICAL ITALIC CAPITAL OMEGA
1D6FC	α	α	<code>\alpha</code>	mathalpha		= <code>\mathit{\alpha}</code> (omlmathit), MATHEMATICAL ITALIC SMALL ALPHA
1D6FD	β	β	<code>\beta</code>	mathalpha		= <code>\mathit{\beta}</code> (omlmathit), MATHEMATICAL ITALIC SMALL BETA
1D6FE	γ	γ	<code>\gamma</code>	mathalpha		= <code>\mathit{\gamma}</code> (omlmathit), MATHEMATICAL ITALIC SMALL GAMMA
1D6FF	δ	δ	<code>\delta</code>	mathalpha		= <code>\mathit{\delta}</code> (omlmathit), MATHEMATICAL ITALIC SMALL DELTA
1D700	ε	ε	<code>\varepsilon</code>	mathalpha		= <code>\mathit{\varepsilon}</code> (omlmathit), MATHEMATICAL ITALIC SMALL EPSILON
1D701	ζ	ζ	<code>\zeta</code>	mathalpha		= <code>\mathit{\zeta}</code> (omlmathit), MATHEMATICAL ITALIC SMALL ZETA
1D702	η	η	<code>\eta</code>	mathalpha		= <code>\mathit{\eta}</code> (omlmathit), MATHEMATICAL ITALIC SMALL ETA
1D703	θ	θ	<code>\theta</code>	mathalpha		= <code>\mathit{\theta}</code> (omlmathit), MATHEMATICAL ITALIC SMALL THETA
1D704	ι	ι	<code>\iota</code>	mathalpha		= <code>\mathit{\iota}</code> (omlmathit), MATHEMATICAL ITALIC SMALL IOTA
1D705	κ	κ	<code>\kappa</code>	mathalpha		= <code>\mathit{\kappa}</code> (omlmathit), MATHEMATICAL ITALIC SMALL KAPPA
1D706	λ	λ	<code>\lambda</code>	mathalpha		= <code>\mathit{\lambda}</code> (omlmathit), mathematical italic small lambda
1D707	μ	μ	<code>\mu</code>	mathalpha		= <code>\mathit{\mu}</code> (omlmathit), MATHEMATICAL ITALIC SMALL MU
1D708	ν	ν	<code>\nu</code>	mathalpha		= <code>\mathit{\nu}</code> (omlmathit), MATHEMATICAL ITALIC SMALL NU
1D709	ξ	ξ	<code>\xi</code>	mathalpha		= <code>\mathit{\xi}</code> (omlmathit), MATHEMATICAL ITALIC SMALL XI
1D70B	π	π	<code>\pi</code>	mathalpha		= <code>\mathit{\pi}</code> (omlmathit), MATHEMATICAL ITALIC SMALL PI
1D70C	ρ	ρ	<code>\rho</code>	mathalpha		= <code>\mathit{\rho}</code> (omlmathit), MATHEMATICAL ITALIC SMALL RHO
1D70D	ς	ς	<code>\varsigma</code>	mathalpha		= <code>\mathit{\varsigma}</code> (omlmathit), MATHEMATICAL ITALIC SMALL FINAL SIGMA
1D70E	σ	σ	<code>\sigma</code>	mathalpha		= <code>\mathit{\sigma}</code> (omlmathit), MATHEMATICAL ITALIC SMALL SIGMA
1D70F	τ	τ	<code>\tau</code>	mathalpha		= <code>\mathit{\tau}</code> (omlmathit), MATHEMATICAL ITALIC SMALL TAU
1D710	υ	υ	<code>\upsilon</code>	mathalpha		= <code>\mathit{\upsilon}</code> (omlmathit), MATHEMATICAL ITALIC SMALL UPSILON
1D711	φ	φ	<code>\varphi</code>	mathalpha		= <code>\mathit{\varphi}</code> (omlmathit), MATHEMATICAL ITALIC SMALL PHI
1D712	χ	χ	<code>\chi</code>	mathalpha		= <code>\mathit{\chi}</code> (omlmathit), MATHEMATICAL ITALIC SMALL CHI
1D713	ψ	ψ	<code>\psi</code>	mathalpha		= <code>\mathit{\psi}</code> (omlmathit), MATHEMATICAL ITALIC SMALL PSI
1D714	ω	ω	<code>\omega</code>	mathalpha		= <code>\mathit{\omega}</code> (omlmathit), MATHEMATICAL ITALIC SMALL OMEGA
1D715	∂	∂	<code>\partial</code>	mathord		= <code>\mathit{\partial}</code> (omlmathit), MATHEMATICAL ITALIC PARTIAL DIFFERENTIAL
1D716	ϵ	ϵ	<code>\epsilon</code>	mathalpha		= <code>\mathit{\epsilon}</code> (omlmathit), MATHEMATICAL ITALIC EPSILON SYMBOL
1D717	ϑ	ϑ	<code>\vartheta</code>	mathalpha		= <code>\mathit{\vartheta}</code> (omlmathit), MATHEMATICAL ITALIC THETA SYMBOL
1D718	κ	κ	<code>\kappa</code>	mathalpha	amssymb	MATHEMATICAL ITALIC KAPPA SYMBOL
1D719	ϕ	ϕ	<code>\phi</code>	mathalpha		= <code>\mathit{\phi}</code> (omlmathit), MATHEMATICAL ITALIC PHI SYMBOL
1D71A	ϱ	ϱ	<code>\varrho</code>	mathalpha		= <code>\mathit{\varrho}</code> (omlmathit), MATHEMATICAL ITALIC RHO SYMBOL
1D71B	ϖ	ϖ	<code>\varpi</code>	mathalpha		= <code>\mathit{\varpi}</code> (omlmathit), MATHEMATICAL ITALIC PI SYMBOL
1D7CE	0	0	<code>\mathbf{0}</code>	mathord		mathematical bold digit 0
1D7CF	1	1	<code>\mathbf{1}</code>	mathord		mathematical bold digit 1
1D7D0	2	2	<code>\mathbf{2}</code>	mathord		mathematical bold digit 2
1D7D1	3	3	<code>\mathbf{3}</code>	mathord		mathematical bold digit 3

No.	Text	Math	Macro	Category	Requirements	Comments
1D7D2	4	4	<code>\mathbf{4}</code>	mathord		mathematical bold digit 4
1D7D3	5	5	<code>\mathbf{5}</code>	mathord		mathematical bold digit 5
1D7D4	6	6	<code>\mathbf{6}</code>	mathord		mathematical bold digit 6
1D7D5	7	7	<code>\mathbf{7}</code>	mathord		mathematical bold digit 7
1D7D6	8	8	<code>\mathbf{8}</code>	mathord		mathematical bold digit 8
1D7D7	9	9	<code>\mathbf{9}</code>	mathord		mathematical bold digit 9
1D7E2	0	0	<code>\mathsf{0}</code>	mathord		mathematical sans-serif digit 0
1D7E3	1	1	<code>\mathsf{1}</code>	mathord		mathematical sans-serif digit 1
1D7E4	2	2	<code>\mathsf{2}</code>	mathord		mathematical sans-serif digit 2
1D7E5	3	3	<code>\mathsf{3}</code>	mathord		mathematical sans-serif digit 3
1D7E6	4	4	<code>\mathsf{4}</code>	mathord		mathematical sans-serif digit 4
1D7E7	5	5	<code>\mathsf{5}</code>	mathord		mathematical sans-serif digit 5
1D7E8	6	6	<code>\mathsf{6}</code>	mathord		mathematical sans-serif digit 6
1D7E9	7	7	<code>\mathsf{7}</code>	mathord		mathematical sans-serif digit 7
1D7EA	8	8	<code>\mathsf{8}</code>	mathord		mathematical sans-serif digit 8
1D7EB	9	9	<code>\mathsf{9}</code>	mathord		mathematical sans-serif digit 9
1D7F6	0	0	<code>\mathtt{0}</code>	mathord		mathematical monospace digit 0
1D7F7	1	1	<code>\mathtt{1}</code>	mathord		mathematical monospace digit 1
1D7F8	2	2	<code>\mathtt{2}</code>	mathord		mathematical monospace digit 2
1D7F9	3	3	<code>\mathtt{3}</code>	mathord		mathematical monospace digit 3
1D7FA	4	4	<code>\mathtt{4}</code>	mathord		mathematical monospace digit 4
1D7FB	5	5	<code>\mathtt{5}</code>	mathord		mathematical monospace digit 5
1D7FC	6	6	<code>\mathtt{6}</code>	mathord		mathematical monospace digit 6
1D7FD	7	7	<code>\mathtt{7}</code>	mathord		mathematical monospace digit 7
1D7FE	8	8	<code>\mathtt{8}</code>	mathord		mathematical monospace digit 8
1D7FF	9	9	<code>\mathtt{9}</code>	mathord		mathematical monospace digit 9